

t16\_uproots  
(TMR2hM38WyRnq2nqbshyKVjhGVFNR9aXoh1)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_group\_1 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v5\_group\_1 : \iota \Rightarrow o$  be given. Let  $l3\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $v3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k3\_group\_4 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_binop\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v2\_binop\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_setwiseo : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $np\_1 : \iota$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_finsop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $u2\_algstr\_0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. (\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1. (m2\_finseq\_1 X1 X0) \Rightarrow \\
& \quad (\forall X2. (m2\_finseq\_1 X2 X0) \Rightarrow (\forall X3. ((v1\_funct\_1 X3) \wedge \\
& ((v1\_funct\_2 X3 (k2\_zfmisc\_1 X0 X0) X0) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 \\
& \quad (k2\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0) X0)))))) \Rightarrow (\forall X4. ((v1\_funct\_1 \\
& \quad X4) \wedge ((v1\_funct\_2 X4 (k1\_relset\_1 k5\_numbers X1) (k1\_relset\_1 \\
& \quad k5\_numbers X1)) \wedge ((v3\_funct\_2 X4 (k1\_relset\_1 k5\_numbers X1) ( \\
& \quad k1\_relset\_1 k5\_numbers X1)) \wedge (m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& \quad (k1\_relset\_1 k5\_numbers X1) (k1\_relset\_1 k5\_numbers X1)))))) \Rightarrow \\
& (((v1\_binop\_1 X3 X0) \wedge ((v2\_binop\_1 X3 X0) \wedge (X2 = k3\_relat\_1 X4 X1))) \Rightarrow \\
& \quad (((\neg v1\_setwiseo X3 X0) \wedge (\neg r1\_xxreal\_0 np\_1 (k3\_finseq\_1 X1))) \vee \\
& \quad (k1\_finsop\_1 X0 X1 X3 = k1\_finsop\_1 X0 X2 X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. ((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow (k4\_finseq\_1 X0 = k9\_xtuple\_0 X0) \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((v1\_funct\_1 X4)\wedge(m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X1))))\wedge((v1\_funct\_1 X5)\wedge(m1\_subset\_1 X5 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X2 X3))))\Rightarrow(k1\_partfun1 X0 X1 X2 X3 X4 X5 = k3\_relat\_1 X4 X5) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.v1\_relat\_1 (k2\_zfmisc\_1 X0 X1) \quad (5)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0)\wedge(l1\_struct\_0 X0))\Rightarrow(\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0)\wedge((v1\_group\_1 X0)\wedge(l3\_algstr\_0 \\ & X0)))\Rightarrow((v1\_funct\_1 (u2\_algstr\_0 X0))\wedge((v1\_funct\_2 (u2\_algstr\_0 \\ & X0) (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)) (u1\_struct\_0 \\ & X0))\wedge(v1\_setwiseo (u2\_algstr\_0 X0) (u1\_struct\_0 X0)))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0)\wedge((v3\_group\_1 X0)\wedge(l3\_algstr\_0 \\ & X0)))\Rightarrow((v1\_funct\_1 (u2\_algstr\_0 X0))\wedge((v1\_funct\_2 (u2\_algstr\_0 \\ & X0) (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)) (u1\_struct\_0 \\ & X0))\wedge(v2\_binop\_1 (u2\_algstr\_0 X0) (u1\_struct\_0 X0)))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l3\_algstr\_0 X0)\Rightarrow((v1\_funct\_1 (u2\_algstr\_0 X0))\wedge \\ & ((v1\_funct\_2 (u2\_algstr\_0 X0) (k2\_zfmisc\_1 (u1\_struct\_0 X0) ( \\ & u1\_struct\_0 X0)) (u1\_struct\_0 X0))\wedge(m1\_subset\_1 (u2\_algstr\_0 \\ & X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) ( \\ & u1\_struct\_0 X0)) (u1\_struct\_0 X0)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(m2\_finseq\_1 X1 X0)\Rightarrow((v1\_funct\_1 X1)\wedge((v1\_finseq\_1 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers X0)))))) \quad (10)$$

Assume the following.

$$\forall X0.(l3\_algstr\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge (l3\_algstr\_0 X0)) \Rightarrow (\forall X1. \\ (m2\_finseq\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (k3\_group\_4 X0 X1 = k1\_finsop\_1 \\ (u1\_struct\_0 X0) X1 (u2\_algstr\_0 X0))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge (l3\_algstr\_0 X0)) \Rightarrow ((v5\_group\_1 \\ X0) \Leftrightarrow (v1\_binop\_1 (u2\_algstr\_0 X0) (u1\_struct\_0 X0))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow \\ ((v1\_relat\_1 X0) \wedge ((v4\_relat\_1 X0 k5\_numbers) \wedge ((v1\_funct\_1 X0) \wedge \\ (v1\_finseq\_1 X0)))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall X0.(v1\_relat\_1 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (v1\_relat\_1 X1)) \quad (15)$$

**Theorem 1**

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v1\_group\_1 X0) \wedge ((v3\_group\_1 \\ X0) \wedge ((v5\_group\_1 X0) \wedge (l3\_algstr\_0 X0))))) \Rightarrow (\forall X1.(m2\_finseq\_1 \\ X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(m2\_finseq\_1 X2 (u1\_struct\_0 \\ X0)) \Rightarrow (\forall X3.((v1\_funct\_1 X3) \wedge ((v1\_funct\_2 X3 (k4\_finseq\_1 \\ X1) (k4\_finseq\_1 X1)) \wedge ((v3\_funct\_2 X3 (k4\_finseq\_1 X1) (k4\_finseq\_1 \\ X1)) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k4\_finseq\_1 \\ X1) (k4\_finseq\_1 X1)))))) \Rightarrow ((X2 = k1\_partfun1 (k4\_finseq\_1 X1) \\ (k4\_finseq\_1 X1) k5\_numbers (u1\_struct\_0 X0) X3 X1) \Rightarrow (k3\_group\_4 \\ X0 X2 = k3\_group\_4 X0 X1)))))) \end{aligned}$$