

t17\_compts\_1  
(TMSGxQhB3vc3j5CAa1ndVfFMvQs2iZTCgRp)

October 27, 2020

Let  $v2\_pre\_topc : \iota \Rightarrow o$  be given. Let  $l1\_pre\_topc : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_compts\_1 : \iota \Rightarrow o$  be given. Let  $v8\_pre\_topc : \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v5\_pre\_topc : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v3\_tops\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $k7\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k8\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_tops\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v4\_pre\_topc : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k8\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
& \forall X0.(l1\_struct\_0 X0) \Rightarrow (\forall X1.(l1\_struct\_0 X1) \Rightarrow (\forall X2. \\
& ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u1\_struct\_0 X0) (u1\_struct\_0 \\
& X1)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 \\
& X0) (u1\_struct\_0 X1)))))) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (k1\_zfmisc\_1 \\
& (u1\_struct\_0 X0))) \Rightarrow (((k2\_relset\_1 (u1\_struct\_0 X1) X2 = k2\_struct\_0 \\
& X1) \wedge (v2\_funct\_1 X2)) \Rightarrow (k7\_relset\_1 (u1\_struct\_0 X0) (u1\_struct\_0 \\
& X1) X2 X3 = k8\_relset\_1 (u1\_struct\_0 X1) (u1\_struct\_0 X0) (k2\_tops\_2 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2) X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v2\_pre\_topc X0) \wedge (l1\_pre\_topc X0)) \Rightarrow (\forall X1. \\
& ((\neg v2\_struct\_0 X1) \wedge ((v2\_pre\_topc X1) \wedge (l1\_pre\_topc X1))) \Rightarrow (\forall X2. \\
& ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u1\_struct\_0 X0) (u1\_struct\_0 \\
& X1)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 \\
& X0) (u1\_struct\_0 X1)))))) \Rightarrow (((v1\_compts\_1 X0) \wedge ((v8\_pre\_topc \\
& X1) \wedge ((k2\_relset\_1 (u1\_struct\_0 X1) X2 = k2\_struct\_0 X1) \wedge (v5\_pre\_topc \\
& X2 X0 X1)))) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (k1\_zfmisc\_1 (u1\_struct\_0 \\
& X0))) \Rightarrow ((v4\_pre\_topc X3 X0) \Rightarrow (v4\_pre\_topc (k7\_relset\_1 (u1\_struct\_0 \\
& X0) (u1\_struct\_0 X1) X2) X3) X1))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(k8\_relset\_1 X0 X1 X2 X3 = k8\_relat\_1 X2 X3) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(k7\_relset\_1 X0 X1 X2 X3 = k7\_relat\_1 X2 X3) \quad (4)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0)\Rightarrow(l1\_struct\_0 X0) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 X0 X1)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))\Rightarrow((v1\_funct\_1 (k2\_tops\_2 X0 X1 X2))\wedge((v1\_funct\_2 (k2\_tops\_2 X0 X1 X2) X1 X0)\wedge(m1\_subset\_1 (k2\_tops\_2 X0 X1 X2) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X1 X0)))))) \quad (6)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0)\Rightarrow(\forall X1.(l1\_pre\_topc X1)\Rightarrow(\forall X2.((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 (u1\_struct\_0 X0) (u1\_struct\_0 X1))\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1))))))\Rightarrow((v5\_pre\_topc X2 X0 X1)\Leftrightarrow(\forall X3.(m1\_subset\_1 X3 (k1\_zfmisc\_1 (u1\_struct\_0 X1)))\Rightarrow((v4\_pre\_topc X3 X1)\Rightarrow(v4\_pre\_topc (k8\_relset\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2 X3) X0)))))) \quad (7)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0)\Rightarrow(\forall X1.(l1\_pre\_topc X1)\Rightarrow(\forall X2.((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 (u1\_struct\_0 X0) (u1\_struct\_0 X1))\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1))))))\Rightarrow((v3\_tops\_2 X2 X0 X1)\Leftrightarrow((k1\_relset\_1 (u1\_struct\_0 X0) X2 = k2\_struct\_0 X0)\wedge((k2\_relset\_1 (u1\_struct\_0 X1) X2 = k2\_struct\_0 X1)\wedge((v2\_funct\_1 X2)\wedge((v5\_pre\_topc X2 X0 X1)\wedge(v5\_pre\_topc (k2\_tops\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2) X1 X0)))))))) \quad (8)$$

Assume the following.

$$\forall X0.(l1\_struct\_0 X0)\Rightarrow(k2\_struct\_0 X0 = u1\_struct\_0 X0) \quad (9)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((v2\_pre\_topc\ X0)\wedge(l1\_pre\_topc\ X0))\Rightarrow(\forall X1. \\ & ((\neg v2\_struct\_0\ X1)\wedge((v2\_pre\_topc\ X1)\wedge(l1\_pre\_topc\ X1)))\Rightarrow(\forall X2. \\ & ((v1\_funct\_1\ X2)\wedge((v1\_funct\_2\ X2\ (u1\_struct\_0\ X0)\ (u1\_struct\_0 \\ & X1))\wedge(m1\_subset\_1\ X2\ (k1\_zfmisc\_1\ (k2\_zfmisc\_1\ (u1\_struct\_0 \\ & X0)\ (u1\_struct\_0\ X1))))))\Rightarrow(((v1\_compts\_1\ X0)\wedge((v8\_pre\_topc \\ & X1)\wedge((k1\_relset\_1\ (u1\_struct\_0\ X0)\ X2 = k2\_struct\_0\ X0)\wedge((k2\_relset\_1 \\ & (u1\_struct\_0\ X1)\ X2 = k2\_struct\_0\ X1)\wedge((v2\_funct\_1\ X2)\wedge(v5\_pre\_topc \\ & X2\ X0\ X1))))))\Rightarrow(v3\_tops\_2\ X2\ X0\ X1))) \end{aligned}$$