

t17_fvsum_1

(TML6sNGBwHCVzcZB7txCH2eaE7sUKuQqvxxw)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k3_fvsum_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k3_funcop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k5_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k1_finseqop : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow (\forall X1. ((\\ & \quad v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow (\forall X2. ((v1_relat_1 X2) \wedge \\ & \quad (v1_funct_1 X2)) \Rightarrow (\forall X3. (X3 \in k9_xtuple_0 (k3_funcop_1 X2 \\ & \quad X0 X1)) \Rightarrow (k1_funct_1 (k3_funcop_1 X2 X0 X1) X3 = k1_binop_1 X2 (k1_funct_1 \\ & \quad X0 X3) (k1_funct_1 X1 X3)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X1) \wedge \\ & \quad ((v1_funct_2 X1 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & \quad (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))) \wedge ((m1_subset_1 X2 X0) \wedge \\ & \quad (m1_subset_1 X3 X0)) \Rightarrow (k5_binop_1 X0 X1 X2 X3 = k1_binop_1 X1 X2 X3) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow (k4_finseq_1 X0 = k9_xtuple_0 X0) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & ((\neg v1_xboole_0 X0)\wedge(\neg v1_xboole_0 X1)\wedge(\neg v1_xboole_0 X2)\wedge \\ & ((v1_funct_1 X3)\wedge((v1_funct_2 X3 (k2_zfmisc_1 X0 X1) X2)\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X0 X1) X2))))\wedge((m1_finseq_1 \\ & X4 X0)\wedge(m1_finseq_1 X5 X1))))\Rightarrow(k1_finseqop X0 X1 X2 X3 X4 X5 = k3_funcop_1 \\ & X3 X4 X5) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.v1_relat_1 (k2_zfmisc_1 X0 X1) \quad (7)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(v1_xboole_0 (k9_xtuple_0 X0)) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_algstr_0 X0)\Rightarrow((v1_funct_1 (u1_algstr_0 X0))\wedge \\ & ((v1_funct_2 (u1_algstr_0 X0) (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0))\wedge(m1_subset_1 (u1_algstr_0 \\ & X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge((v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0)\Rightarrow((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_finseq_1 X1))) \quad (11)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l2_algstr_0 \\ & X0))\wedge((m1_finseq_1 X1 (u1_struct_0 X0))\wedge(m1_finseq_1 X2 (u1_struct_0 \\ & X0))))\Rightarrow(m2_finseq_1 (k3_fvsom_1 X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\ (m2_finseq_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m2_finseq_1 X2 \\ (u1_struct_0 X0)) \Rightarrow (k3_fvsum_1 X0 X1 X2 = k1_finseqop (u1_struct_0 \\ X0) (u1_struct_0 X0) (u1_struct_0 X0) (u1_algstr_0 X0) X1 X2))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k1_algstr_0 \\ X0 X1 X2 = k5_binop_1 (u1_struct_0 X0) (u1_algstr_0 X0) X1 X2))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall X0.(v1_xboole_0 X0) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge (v5_relat_1 \\ X1 X0)) \Rightarrow ((v1_xboole_0 X1) \wedge ((v1_relat_1 X1) \wedge (v5_relat_1 X1 X0)))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0) \Rightarrow (v5_relat_1 X1 X0) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.(v1_relat_1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ X0)) \Rightarrow (v1_relat_1 X1)) \end{aligned} \quad (18)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\ (m2_finseq_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m2_finseq_1 X2 \\ (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\ (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5.(m1_subset_1 \\ X5 k5_numbers) \Rightarrow (((X5 \in k4_finseq_1 (k3_fvsum_1 X0 X1 X2)) \wedge ((X3 = \\ k1_funct_1 X1 X5) \wedge (X4 = k1_funct_1 X2 X5))) \Rightarrow (k1_funct_1 (k3_fvsum_1 \\ X0 X1 X2) X5 = k1_algstr_0 X0 X3 X4)))))) \end{aligned}$$