

t17_lmod_5 (TMWPN-
NRN8a1P4ofw3aR3WEVC3Bc7Qqpv4RU)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_vectsp_2 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_lmod_5 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_vectsp_5 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v7_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_vectsp_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1_vectsp_4 X3 X0 X1) \Rightarrow (\forall X4.(m1_vectsp_4 X4 \\
& X0 X1) \Rightarrow (((m1_vectsp_4 X2 X0 X3) \wedge (m1_vectsp_4 X2 X0 X4)) \Rightarrow (m1_vectsp_4 \\
& X2 X0 (k2_vectsp_5 X0 X1 X3 X4))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski (k3_xboole_0 X0 X1) X0 \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((\\
& v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 \\
& X0) \wedge ((v1_vectsp_2 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\
& (u1_struct_0 X1))) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 \\
& (u1_struct_0 X1))) \Rightarrow ((r1_tarSKI X2 X3) \Rightarrow (m1_vectsp_4 (k1_lmod_5 \\
& X0 X1 X2) X0 (k1_lmod_5 X0 X1 X3))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \tag{4}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (m1_subset_1 (k9_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 \\
& X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge ((v1_vectsp_2 X0) \wedge (l6_algstr_0 X0)))))))))) \wedge \\
& (((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 \\
& X1)))))) \Rightarrow ((v7_vectsp_1 (k1_lmod_5 X0 X1 X2) X0) \wedge (m1_vectsp_4 (\\
& k1_lmod_5 X0 X1 X2) X0 X1))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0. \forall X1. k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \tag{7}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (\neg v6_struct_0 X0) \wedge (v13_algstr_0 \\ & X0) \wedge (v3_group_1 X0) \wedge (v5_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (\\ & v5_vectsp_1 X0) \wedge (v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 \\ & X0) \wedge (v1_vectsp_2 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v8_vectsp_1 X1 X0) \wedge \\ & (v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge (v11_vectsp_1 X1 \\ & X0) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge \\ & (l1_vectsp_1 X1 X0)))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (u1_struct_0 X1))) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 \\ & (u1_struct_0 X1))) \Rightarrow (m1_vectsp_4 (k1_lmod_5 X0 X1 (k9_subset_1 \\ & (u1_struct_0 X1) X2 X3)) X0 (k2_vectsp_5 X0 X1 (k1_lmod_5 X0 X1 X2) \\ & (k1_lmod_5 X0 X1 X3)))))) \end{aligned}$$