

# t18\_funct\_2 (TMQSe- jxDmfh54AFyuHm8HCvRnMdUioQTn1g)

October 27, 2020

Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_partfun1 : \iota \Rightarrow \iota$  be given. Let  $k2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_tarSKI : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $k10\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k3\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_relat\_1 : \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_partfun1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 (k1\_zfmisc\_1 X1)) \Leftrightarrow (r1\_tarSKI X0 X1) \quad (1)$$

Assume the following.

$$\forall X0. (v1\_relat\_1 X0) \Rightarrow (\forall X1. (v1\_relat\_1 X1) \Rightarrow (r1\_tarSKI (k10\_xtuple\_0 (k3\_relat\_1 X0 X1)) (k10\_xtuple\_0 X1))) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. ((m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))) \Rightarrow ((r2\_relset\_1 X0 X1 X2 X3) \Leftrightarrow (X2 = X3)) \quad (3)$$

Assume the following.

$$\forall X0. k6\_partfun1 X0 = k4\_relat\_1 X0 \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge (v5\_relat\_1 X1 X0)) \Rightarrow (k2\_relset\_1 X0 X1 = k10\_xtuple\_0 X1) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((v1\_funct\_1 X4)\wedge(m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X1))))\wedge((v1\_funct\_1 X5)\wedge(m1\_subset\_1 X5 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X2 X3))))))\Rightarrow(k1\_partfun1 X0 X1 X2 X3 X4 X5 = k3\_relat\_1 X4 X5) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.k10\_xtuple\_0 (k4\_relat\_1 X0) = X0 \quad (7)$$

Assume the following.

$$\forall X0.(v1\_partfun1 (k6\_partfun1 X0) X0)\wedge(m1\_subset\_1 (k6\_partfun1 X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v5\_relat\_1 X1 X0))\Rightarrow(m1\_subset\_1 (k2\_relset\_1 X0 X1) (k1\_zfmisc\_1 X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((v1\_funct\_1 X4)\wedge(m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X1))))\wedge((v1\_funct\_1 X5)\wedge(m1\_subset\_1 X5 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X2 X3))))))\Rightarrow((v1\_funct\_1 (k1\_partfun1 X0 X1 X2 X3 X4 X5))\wedge(m1\_subset\_1 \\ & (k1\_partfun1 X0 X1 X2 X3 X4 X5) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X3)))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(X0 = X1)\Leftrightarrow((r1\_tarski X0 X1)\wedge(r1\_tarski X1 X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow((v4\_relat\_1 X2 X0)\wedge(v5\_relat\_1 X2 X1)) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(v1\_relat\_1 X2) \quad (13)$$

### Theorem 1

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v1\_funct\_1 X2)\wedge((v1\_funct\_2 \\ & X2 X0 X1)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))))\Rightarrow \\ & (\forall X3.((v1\_funct\_1 X3)\wedge((v1\_funct\_2 X3 X1 X0)\wedge(m1\_subset\_1 \\ & X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X1 X0))))))\Rightarrow((r2\_relset\_1 X1 X1 (k1\_partfun1 \\ & X1 X0 X0 X1 X3 X2) (k6\_partfun1 X1))\Rightarrow(k2\_relset\_1 X1 X2 = X1)) \end{aligned}$$