

## t18\_geomtrap

(TMTch97wrZHuS4fzgZjqgynDc4XHHUm4WVp)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r2\_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r3\_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
 & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
 & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
 & X0)))))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
 & (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. (m1\_subset\_1 \\
 & X3 (u1\_struct\_0 X0)) \Rightarrow ((k1\_geomtrap X0 X1 X2 = k1\_geomtrap X0 X1 X3) \Rightarrow \\
 & (X2 = X3))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
 & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
 & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
 & X0)))))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
 & (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. (m1\_subset\_1 \\
 & X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4. (m1\_subset\_1 X4 (u1\_struct\_0 \\
 & X0)) \Rightarrow ((r2\_geomtrap X0 X3 X4 X1 X2 X2 X1) \Rightarrow (X1 = X2))))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow ((r1\_analoaf X0 X1 X2 X2 X3) \Rightarrow (r1\_analoaf X0 \\
& (k1\_geomtrap X0 X1 X2) X2 X2 (k1\_geomtrap X0 X2 X3))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((r1\_analoaf X0 \\
& X1 X2 X1 (k1\_geomtrap X0 X1 X2)) \wedge (r1\_analoaf X0 X1 X2 (k1\_geomtrap \\
& X0 X1 X2) X2)))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 X0)) \Rightarrow (\forall X6. \\
& (m1\_subset\_1 X6 (u1\_struct\_0 X0)) \Rightarrow (\forall X7.(m1\_subset\_1 X7 \\
& (u1\_struct\_0 X0)) \Rightarrow (\forall X8.(m1\_subset\_1 X8 (u1\_struct\_0 X0)) \Rightarrow \\
& ((r1\_analmetr X0 X1 X2) \Rightarrow (((\neg r1\_geomtrap X0 X3 X4 X5 X6) \wedge (\neg r1\_geomtrap \\
& X0 X5 X6 X3 X4)) \vee (((\neg r3\_analmetr X0 X7 X8 X5 X6 X1 X2) \wedge (\neg r3\_analmetr \\
& X0 X5 X6 X7 X8 X1 X2)) \vee ((X5 = X6) \vee ((r3\_analmetr X0 X3 X4 X7 X8 X1 X2) \wedge \\
& (r3\_analmetr X0 X7 X8 X3 X4 X1 X2))))))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 \\
& X0)) \Rightarrow (((r1\_analmetr X0 X1 X2) \wedge (r3\_analmetr X0 X3 X4 X3 X4 X1 X2)) \Rightarrow \\
& (X3 = X4))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow ((r1\_analoaf X0 X1 X2 X2 X3) \Rightarrow ((r1\_analoaf \\
& X0 X3 X2 X2 X1) \wedge ((r1\_analoaf X0 X1 X2 X1 X3) \wedge (r1\_analoaf X0 X2 X3 X1 \\
& X3)))))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\
& ((v5\_rlvect\_1 X0) \wedge ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 \\
& X0) \wedge (l1\_rlvect\_1 X0)))))))))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0))) \Rightarrow (k1\_geomtrap X0 X1 X1 = \\
& X1)
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\
& ((v5\_rlvect\_1 X0) \wedge ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 \\
& X0) \wedge (l1\_rlvect\_1 X0)))))))))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0))) \Rightarrow (m1\_subset\_1 (k1\_geomtrap \\
& X0 X1 X2) (u1\_struct\_0 X0))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 X0)) \Rightarrow (\forall X6. \\
& (m1\_subset\_1 X6 (u1\_struct\_0 X0)) \Rightarrow ((r2\_geomtrap X0 X1 X2 X3 X4 X5 \\
& X6) \Leftrightarrow ((r1\_analoaf X0 X3 X4 X5 X6) \wedge ((r3\_analmetr X0 X3 X4 (k1\_geomtrap \\
& X0 X3 X4) (k1\_geomtrap X0 X5 X6) X1 X2) \wedge (r3\_analmetr X0 X5 X6 (k1\_geomtrap \\
& X0 X3 X4) (k1\_geomtrap X0 X5 X6) X1 X2))))))))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 \\
& X0)) \Rightarrow ((r1\_geomtrap X0 X1 X2 X3 X4) \Leftrightarrow ((r1\_analoaf X0 X1 X2 X3 X4) \vee ( \\
& r1\_analoaf X0 X1 X2 X4 X3)))))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\
& ((v5\_rlvect\_1 X0) \wedge ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 \\
& X0) \wedge (l1\_rlvect\_1 X0)))))))))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (k1\_geomtrap X0 X1 X2 = \\
& k1\_geomtrap X0 X2 X1)
\end{aligned} \tag{12}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 X0)) \Rightarrow (((r1\_analmetr \\
& X0 X1 X2) \wedge (r2\_geomtrap X0 X1 X2 X3 X4 X4 X5)) \Rightarrow ((X3 = X4) \wedge (X4 = X5)))))))))
\end{aligned}$$