

t18_latsubgr (TMTmEJzmH- HQPs9WtSnnpqF5UhU4vTGFp29k)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k10_group_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_latsubgr : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_group_3 : \iota \Rightarrow \iota$ be given. Let $k9_setfam_1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (\forall X2. \\ & (m1_group_2 X2 X0) \Rightarrow (u1_struct_0 (k10_group_2 X0 X1 X2) = k3_xboole_0 \\ & (u1_struct_0 X1) (u1_struct_0 X2)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow ((v1_funct_1 (k1_latsubgr X0)) \wedge ((v1_funct_2 \\ & (k1_latsubgr X0) (k1_group_3 X0) (k9_setfam_1 (u1_struct_0 X0))) \wedge \\ & (m1_subset_1 (k1_latsubgr X0) (k1_zfmisc_1 (k2_zfmisc_1 (k1_group_3 \\ & X0) (k9_setfam_1 (u1_struct_0 X0)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 \\ & X1 (k1_group_3 X0) (k9_setfam_1 (u1_struct_0 X0))) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (k2_zfmisc_1 (k1_group_3 X0) (k9_setfam_1 (u1_struct_0 \\ & X0)))))) \Rightarrow ((X1 = k1_latsubgr X0) \Leftrightarrow (\forall X2.((v15_algstr_0 \\ & X2) \wedge (m1_group_2 X2 X0) \Rightarrow (k1_funct_1 X1 X2 = u1_struct_0 X2)))) \end{aligned} \tag{3}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((v15_algstr_0 X1) \wedge (m1_group_2 \\ & X1 X0)) \Rightarrow (\forall X2.((v15_algstr_0 X2) \wedge (m1_group_2 X2 X0)) \Rightarrow (\\ & u1_struct_0 (k10_group_2 X0 X1 X2) = k3_xboole_0 (k1_funct_1 (k1_latsubgr \\ & X0) X1) (k1_funct_1 (k1_latsubgr X0) X2)))) \end{aligned}$$