

t18_lopban_3

(TMZ1Vwhxg4JfRA6KKHN6xoDBgXgqzB95i4r)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_lopban_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_lopban_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_normsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_bhsp_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
 & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
 & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
 & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
 & (\forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
 & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
 & X0)))))) \Rightarrow (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
 & (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
 & k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v3_normsp_1 X1 X0) \wedge (v3_normsp_1 \\
 & X2 X0)) \Rightarrow (k6_normsp_1 X0 (k3_normsp_1 X0 X1 X2) = k5_algstr_0 X0 (\\
 & k6_normsp_1 X0 X1) (k6_normsp_1 X0 X2))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v3_normsp_1 X1 X0) \wedge (v3_normsp_1 \\
& X2 X0)) \Rightarrow (v3_normsp_1 (k3_normsp_1 X0 X1 X2) X0))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (r2_funct_2 k5_numbers (u1_struct_0 \\
& X0) (k3_normsp_1 X0 (k1_bhspl4 X0 X1) (k1_bhspl4 X0 X2)) (k1_bhspl4 \\
& X0 (k3_normsp_1 X0 X1 X2))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge \\
& ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 X1)))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\
& X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 \\
& X3) \Leftrightarrow (X2 = X3))
\end{aligned} \tag{4}$$

Assume the following.

$$\forall X0. (l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \tag{5}$$

Assume the following.

$$\forall X0. (l1_normsp_1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l2_normsp_0 X0)) \tag{6}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l2_algstr_0 \\ & X0))\wedge(((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))))\Rightarrow((v1_funct_1 (k3_normsp_1 X0 X1 X2))\wedge((v1_funct_2 \\ & (k3_normsp_1 X0 X1 X2) k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 \\ & (k3_normsp_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l2_algstr_0 X0))\wedge \\ & ((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 X0))\wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\Rightarrow((v1_funct_1 (k1_bhsp_4 X0 X1))\wedge((v1_funct_2 (k1_bhsp_4 \\ & X0 X1) k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 (k1_bhsp_4 X0 \\ & X1) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\ & ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 \\ & X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))\Rightarrow \\ & (\forall X1.((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\Rightarrow(k1_lopban_3 X0 X1 = k6_normsp_1 X0 (k1_bhsp_4 X0 X1))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\ & ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 \\ & X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))\Rightarrow \\ & (\forall X1.((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\Rightarrow((v1_lopban_3 X1 X0)\Leftrightarrow(v3_normsp_1 (k1_bhsp_4 X0 X1) \\ & X0))) \end{aligned} \tag{10}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\ & (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v1_lopban_3 X1 X0) \wedge (v1_lopban_3 \\ & X2 X0)) \Rightarrow ((v1_lopban_3 (k3_normsp_1 X0 X1 X2) X0) \wedge (k1_lopban_3 \\ & X0 (k3_normsp_1 X0 X1 X2) = k5_algstr_0 X0 (k1_lopban_3 X0 X1) (k1_lopban_3 \\ & X0 X2)))))) \end{aligned}$$