

t18_ndiff_1

(TMHyNkjG2VGwBZcphCbQx43AGQMrhiG5TF)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_funct_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k6_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k8_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & (k1_normsp_0 X0 (k4_struct_0 X0) = k6_numbers) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\ & X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))) \Rightarrow (\forall X1. (m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 X0 X1 X1 = k4_struct_0 X0)) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow ((v3_funct_1 X1) \Rightarrow (v3_normsp_1 X1 X0))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_funct_1 X1) \wedge ((v1_funct_2 \\ & X1 k5_numbers X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers \\ & X0)))) \wedge (v7_ordinal1 X2)) \Rightarrow (k8_nat_1 X0 X1 X2 = k1_funct_1 X1 X2)) \end{aligned} \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (l1_struct_0 \\ & X0)) \wedge (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \wedge (m1_subset_1 X2 k5_numbers))) \Rightarrow (k1_normsp_1 X0 X1 X2 = \\ & k1_funct_1 X1 X2) \end{aligned} \quad (8)$$

Assume the following.

$$\exists X0. (\neg v1_xboole_0 X0) \wedge (v7_ordinal1 X0) \quad (9)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (10)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\neg v1_xboole_0 \ k1_numbers \quad (12)$$

Assume the following.

$$\forall X0.(l2_normsp_0 \ X0) \Rightarrow ((l1_normsp_0 \ X0) \wedge (l2_struct_0 \ X0)) \quad (13)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 \ X0) \Rightarrow (l2_algstr_0 \ X0) \quad (14)$$

Assume the following.

$$\forall X0.(l1_normsp_1 \ X0) \Rightarrow ((l1_rlvect_1 \ X0) \wedge (l2_normsp_0 \ X0)) \quad (15)$$

Assume the following.

$$\forall X0.(l1_normsp_0 \ X0) \Rightarrow (l1_struct_0 \ X0) \quad (16)$$

Assume the following.

$$m1_subset_1 \ k5_numbers \ (k1_zfmisc_1 \ k1_numbers) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 \ X0) \wedge ((v13_algstr_0 \ X0) \wedge ((v2_rlvect_1 \\ & \quad X0) \wedge ((v3_rlvect_1 \ X0) \wedge ((v4_rlvect_1 \ X0) \wedge ((v5_rlvect_1 \ X0) \wedge \\ & \quad ((v6_rlvect_1 \ X0) \wedge ((v7_rlvect_1 \ X0) \wedge ((v8_rlvect_1 \ X0) \wedge ((v3_normsp_0 \\ & \quad X0) \wedge ((v4_normsp_0 \ X0) \wedge ((v2_normsp_1 \ X0) \wedge (l1_normsp_1 \ X0)))))))))) \Rightarrow \\ & \quad (\forall X1.((v1_funct_1 \ X1) \wedge ((v1_funct_2 \ X1 \ k5_numbers \ (u1_struct_0 \\ & \quad X0)) \wedge (m1_subset_1 \ X1 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \ (u1_struct_0 \\ & \quad X0)))))) \Rightarrow ((v3_normsp_1 \ X1 \ X0) \Rightarrow (\forall X2.(m1_subset_1 \ X2 \ (u1_struct_0 \\ & \quad X0)) \Rightarrow ((X2 = k6_normsp_1 \ X0 \ X1) \Leftrightarrow (\forall X3.(m1_subset_1 \ X3 \ k1_numbers) \Rightarrow \\ & \quad (\neg(\neg r1_xxreal_0 \ X3 \ k6_numbers) \wedge (\forall X4.(m2_subset_1 \ X4 \ k1_numbers \\ & \quad k5_numbers) \Rightarrow (\exists X5.(m2_subset_1 \ X5 \ k1_numbers \ k5_numbers) \wedge \\ & \quad ((r1_xxreal_0 \ X4 \ X5) \wedge (r1_xxreal_0 \ X3 \ (k1_normsp_0 \ X0 \ (k5_algstr_0 \\ & \quad X0 \ (k1_normsp_1 \ X0 \ X1 \ X5) \ X2))))))))))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 \ X0) \Rightarrow (\forall X1.((v1_funct_1 \ X1) \wedge (\\ & \quad (v1_funct_2 \ X1 \ k5_numbers \ X0) \wedge (m1_subset_1 \ X1 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \\ & \quad k5_numbers \ X0)))) \Rightarrow ((v3_funct_1 \ X1) \Leftrightarrow (\exists X2.(m1_subset_1 \\ & \quad X2 \ X0) \wedge (\forall X3.(v7_ordinal1 \ X3) \Rightarrow (k8_nat_1 \ X0 \ X1 \ X3 = X2)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall X0.(m1_subset_1 \ X0 \ k4_ordinal1) \Rightarrow (v7_ordinal1 \ X0) \quad (20)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & (\forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow ((v3_funct_1 X1) \Rightarrow ((v3_normsp_1 X1 X0) \wedge (\forall X2. \\ & (m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow (k6_normsp_1 X0 X1 = k1_normsp_1 \\ & X0 X1 X2)))))) \end{aligned}$$