

t18_parsp_2 (TMKjKvHUPqZJEn- snn8LM6aXwRVcUyuJehMr)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_parsp_1 : \iota \Rightarrow o$ be given. Let $v1_parsp_2 : \iota \Rightarrow o$ be given. Let $l1_parsp_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_parsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_parsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge (l1_parsp_1 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\ & (((r1_parsp_1 X0 X1 X3 X1 X4) \wedge (r1_parsp_1 X0 X2 X3 X2 X4)) \Rightarrow ((r1_parsp_1 \\ & X0 X1 X2 X1 X3) \vee (X3 = X4)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\ & X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((r1_parsp_2 X0 X1 X2 X3) \Rightarrow ((\\ & r1_parsp_2 X0 X1 X3 X2) \wedge ((r1_parsp_2 X0 X3 X2 X1) \wedge ((r1_parsp_2 X0 \\ & X2 X1 X3) \wedge ((r1_parsp_2 X0 X2 X3 X1) \wedge (r1_parsp_2 X0 X3 X1 X2)))))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\ & X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((r1_parsp_2 X0 X1 X2 X3) \Leftrightarrow (r1_parsp_1 \\ & X0 X1 X2 X1 X3)))) \end{aligned} \tag{3}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge ((v1_parsp_2 \\ & X0) \wedge (l1_parsp_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\ & (u1_struct_0 X0)) \Rightarrow (\neg(\neg r1_parsp_2 X0 X1 X2 X3) \wedge ((r1_parsp_2 X0 \\ & X1 X2 X4) \wedge ((r1_parsp_2 X0 X1 X3 X4) \wedge (X1 \neq X4)))))))))) \end{aligned}$$