

t18_prob_4

(TMPsiMtrvCfghtesHNHwei6KjWcjVyzBfmcq)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k9_setfam_1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_prob_1 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xboole_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_prob_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_prob_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k3_measure1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v2_finsub_1 : \iota \Rightarrow o$ be given. Let $v1_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v6_membered : \iota \Rightarrow o$ be given. Let $v4_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. r1_xboole_0 (k4_xboole_0 X0 X1) X1 \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers \\ & (k9_setfam_1 X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & k5_numbers (k9_setfam_1 X0)))))) \Rightarrow ((v3_prob_1 X1) \Rightarrow ((k1_prob_4 \\ & X0 (k9_setfam_1 X0) (k3_prob_3 X0 X1) k6_numbers = k1_prob_4 X0 (\\ & k9_setfam_1 X0) X1 k6_numbers) \wedge (\forall X2. (m2_subset_1 X2 k1_numbers \\ & k5_numbers) \Rightarrow (k1_prob_4 X0 (k9_setfam_1 X0) (k3_prob_3 X0 X1) (\\ & k2_nat_1 X2 np_1) = k3_measure1 X0 (k9_setfam_1 X0) (k1_prob_4 \\ & X0 (k9_setfam_1 X0) X1 (k2_nat_1 X2 np_1)) (k1_prob_4 X0 (k9_setfam_1 \\ & X0) X1 X2)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 X0))))\Rightarrow(\forall X2.(m2_subset_1 X2 X0 X1)\Leftrightarrow(m1_subset_1 X2 X1)) \quad (4)$$

Assume the following.

$$\forall X0.k9_setfam_1 X0 = k1_zfmisc_1 X0 \quad (5)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(((\neg v1_xboole_0 X1)\wedge((v2_finsub_1 X1)\wedge((v1_prob_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 X0))))))\wedge((m1_subset_1 X2 X1)\wedge(m1_subset_1 X3 X1)))\Rightarrow(k3_measure1 X0 X1 X2 X3 = k4_xboole_0 X2 X3) \quad (7)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (8)$$

Assume the following.

$$v6_membered k4_ordinal1 \quad (9)$$

Assume the following.

$$\forall X0.v4_prob_1 (k1_zfmisc_1 X0) X0 \quad (10)$$

Assume the following.

$$\forall X0.v1_prob_1 (k1_zfmisc_1 X0) X0 \quad (11)$$

Assume the following.

$$\forall X0.\neg v1_xboole_0 (k1_zfmisc_1 X0) \quad (12)$$

Assume the following.

$$\forall X0.v2_finsub_1 (k1_zfmisc_1 X0) \quad (13)$$

Assume the following.

$$\forall X0.m1_subset_1 (k9_setfam_1 X0) (k1_zfmisc_1 (k1_zfmisc_1 X0)) \quad (14)$$

Assume the following.

$$m1_subset_1 \ k5_numbers \ (k1_zfmisc_1 \ k1_numbers) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 \ X0 \ k5_numbers)\wedge(v7_ordinal1 \ X1))\Rightarrow(m2_subset_1 \ (k2_nat_1 \ X0 \ X1) \ k1_numbers \ k5_numbers) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v1_xboole_0 \\ & X1)\wedge((v1_prob_1 \ X1 \ X0)\wedge((v4_prob_1 \ X1 \ X0)\wedge(m1_subset_1 \ X1 \ (k1_zfmisc_1 \\ & (k1_zfmisc_1 \ X0))))))\wedge(((v5_relat_1 \ X2 \ X1)\wedge((v1_funct_1 \ X2)\wedge \\ & ((v1_funct_2 \ X2 \ k5_numbers \ (k9_setfam_1 \ X0))\wedge(m1_subset_1 \ X2 \\ & (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \ (k9_setfam_1 \ X0))))))\wedge \\ & (m1_subset_1 \ X3 \ k5_numbers)))\Rightarrow(m2_subset_1 \ (k1_prob_4 \ X0 \ X1 \ X2 \\ & X3) \ (k1_zfmisc_1 \ X0) \ X1) \end{aligned} \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 \ X2 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ X0 \ X1)))\Rightarrow((v4_relat_1 \ X2 \ X0)\wedge(v5_relat_1 \ X2 \ X1)) \quad (18)$$

Assume the following.

$$\forall X0.(v1_xboole_0 \ X0)\Rightarrow(\forall X1.(m1_subset_1 \ X1 \ (k1_zfmisc_1 \ X0))\Rightarrow(v1_xboole_0 \ X1)) \quad (19)$$

Assume the following.

$$\forall X0.(v6_membered \ X0)\Rightarrow(\forall X1.(m1_subset_1 \ X1 \ X0)\Rightarrow(v7_ordinal1 \ X1)) \quad (20)$$

Theorem 1

$$\begin{aligned} & \forall X0.\forall X1.((v1_funct_1 \ X1)\wedge((v1_funct_2 \ X1 \ k5_numbers \\ & (k9_setfam_1 \ X0))\wedge(m1_subset_1 \ X1 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \\ & k5_numbers \ (k9_setfam_1 \ X0))))))\Rightarrow((v3_prob_1 \ X1)\Rightarrow(\forall X2. \\ & (m2_subset_1 \ X2 \ k1_numbers \ k5_numbers)\Rightarrow(r1_xboole_0 \ (k1_prob_4 \\ & X0 \ (k9_setfam_1 \ X0) \ (k3_prob_3 \ X0 \ X1) \ (k2_nat_1 \ X2 \ np_1)) \ (k1_prob_4 \\ & X0 \ (k9_setfam_1 \ X0) \ X1 \ X2)))) \end{aligned}$$