

t18_tex_3

(TMckK81JXM2fNnycitvxiNnzMpqiWPUeCRr)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $v2_tex_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_tops_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ & X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge (m1_pre_topc X1 X0)) \Rightarrow (\\ & \forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\\ & \forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\\ & \forall X4.(m1_subset_1 X4 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow (\\ & ((r1_tarski X2 (u1_struct_0 X1)) \wedge ((r1_tarski X3 X2) \wedge (X3 = X4))) \Rightarrow \\ & (((v1_tops_3 X2 X0) \wedge (v1_tops_3 X4 X1)) \Leftrightarrow (v1_tops_3 X3 X0)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (2)$$

Assume the following.

$$\forall X0. (l1_pre_topc X0) \Rightarrow (\forall X1. (m1_pre_topc X1 X0) \Rightarrow (m1_subset_1 (u1_struct_0 X1) (k1_zfmisc_1 (u1_struct_0 X0)))) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ & X0))) \Rightarrow (\forall X1. (m1_pre_topc X1 X0) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((X2 = u1_struct_0 X1) \Rightarrow ((v2_tex_3 \\ & X1 X0) \Leftrightarrow (v1_tops_3 X2 X0)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski X0 X0 \quad (5)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ & X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_tex_3 X1 X0) \wedge (m1_pre_topc \\ & X1 X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 \\ & X1))) \Rightarrow ((X2 = X3) \Rightarrow ((v1_tops_3 X3 X1) \Leftrightarrow (v1_tops_3 X2 X0)))))) \end{aligned}$$