

t19_analoaf

(TMFjAnNxezz9pAVm6daRE72EQjXoedcYPiZ)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k5_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_real_1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $np_0 : \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k2_real_1 : \iota \Rightarrow \iota$ be given. Let $k4_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\ & X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow ((k1_algstr_0 X0 X1 (k4_struct_0 X0) = X1) \wedge \\ & (k1_algstr_0 X0 (k4_struct_0 X0) X1 = X1))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \exists X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v1_rlvect_1 \\
& X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\
& ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 \\
& X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge (\exists X1.(m1_subset_1 X1 \\
& (u1_struct_0 X0)) \wedge (\exists X2.(m1_subset_1 X2 (u1_struct_0 X0)) \wedge \\
& ((\forall X3.(m1_subset_1 X3 k1_numbers) \Rightarrow (\forall X4.(m1_subset_1 \\
& X4 k1_numbers) \Rightarrow ((k3_rlvect_1 X0 (k1_rlvect_1 X0 X1 X3) (k1_rlvect_1 \\
& X0 X2 X4) = k4_struct_0 X0) \Rightarrow ((X3 = k6_numbers) \wedge (X4 = k6_numbers)))))) \wedge \\
& (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\exists X4.(m1_subset_1 \\
& X4 k1_numbers) \wedge (\exists X5.(m1_subset_1 X5 k1_numbers) \wedge (X3 = \\
& k3_rlvect_1 X0 (k1_rlvect_1 X0 X1 X4) (k1_rlvect_1 X0 X2 X5))))))))) \quad (3)
\end{aligned}$$

Assume the following.

$$k5_xcmplx_0 k6_numbers = k6_numbers \quad (4)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (k4_algstr_0 X0 X1 = k1_rlvect_1 X0 X1 (k1_real_1 np_1))) \quad (5)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\
& X1 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 X0 X1 X1 = k4_struct_0 X0)) \quad (6)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge (\\
& (v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\
& ((v8_rlvect_1 X1) \wedge (l1_rlvect_1 X1)))))))))) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X1)) \Rightarrow (((X0 = k6_numbers) \vee (X2 = k4_struct_0 X1)) \Rightarrow \\
& (k1_rlvect_1 X1 X2 X0 = k4_struct_0 X1))) \quad (7)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\
& ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \quad (8)
\end{aligned}$$

Assume the following.

$$v1_xboole_0 np_0 \quad (9)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. ((v2_rlvect_1 X0) \wedge (l1_algstr_0 \\ X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 \\ X0))) \Rightarrow (k3_rlvect_1 X0 X1 X2 = k1_algstr_0 X0 X1 X2) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (k2_real_1 X0 = k5_xcmplx_0 X0) \quad (12)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (k1_real_1 X0 = k4_xcmplx_0 X0) \quad (13)$$

Assume the following.

$$\exists X0. (v1_xboole_0 X0) \wedge ((v1_xcmplx_0 X0) \wedge ((v1_xxreal_0 \\ X0) \wedge (v1_xreal_0 X0))) \quad (14)$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (15)$$

Assume the following.

$$\forall X0. (l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (16)$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (m1_subset_1 (k4_struct_0 X0) (u1_struct_0 \\ X0)) \quad (17)$$

Assume the following.

$$\forall X0. \forall X1. ((l2_algstr_0 X0) \wedge (m1_subset_1 X1 (u1_struct_0 \\ X0))) \Rightarrow (m1_subset_1 (k4_algstr_0 X0 X1) (u1_struct_0 X0)) \quad (18)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (m1_subset_1 (k2_real_1 \\ X0) k1_numbers) \quad (19)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (m1_subset_1 (k1_real_1 \\ X0) k1_numbers) \quad (20)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l1_rlvect_1 X0)) \Rightarrow ((v8_rlvect_1 \\ X0) \Leftrightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k1_rlvect_1 \\ X0 X1 np_1 = X1))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall X0.(l2_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 \\ X0 X1 X2 = k1_algstr_0 X0 X1 (k4_algstr_0 X0 X2)))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 \\ X0) \wedge (v13_algstr_0 X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ X0)) \Rightarrow ((X2 = k4_algstr_0 X0 X1) \Leftrightarrow (k1_algstr_0 X0 X1 X2 = k4_struct_0 \\ X0)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((v2_rlvect_1 X0) \wedge (l1_algstr_0 \\ X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 \\ X0)))) \Rightarrow (k3_rlvect_1 X0 X1 X2 = k3_rlvect_1 X0 X2 X1) \end{aligned} \quad (24)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((\forall X3.(\\ m1_subset_1 X3 k1_numbers) \Rightarrow (\forall X4.(m1_subset_1 X4 k1_numbers) \Rightarrow \\ ((k3_rlvect_1 X0 (k1_rlvect_1 X0 X1 X3) (k1_rlvect_1 X0 X2 X4) = k4_struct_0 \\ X0) \Rightarrow ((X3 = k6_numbers) \wedge (X4 = k6_numbers)))))) \Rightarrow ((X1 \neq X2) \wedge ((X1 \neq \\ k4_struct_0 X0) \wedge (X2 \neq k4_struct_0 X0)))))) \end{aligned}$$