

t19_lmod_7

(TMa6usBEjGE99F cwTRJTq2Qm1Yef6APqikg)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k17_lmod_7 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k13_lmod_7 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $g1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $v7_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k14_lmod_7 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k16_lmod_7 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. ((l1_struct_0 \\
 & X0) \wedge (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (k2_zfmisc_1 X1 X1) X1) \wedge \\
 & (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X1 X1) \\
 & X1)))))) \wedge ((m1_subset_1 X3 X1) \wedge ((v1_funct_1 X4) \wedge ((v1_funct_2 \\
 & X4 (k2_zfmisc_1 (u1_struct_0 X0) X1) X1) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\
 & (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) X1) X1)))))) \Rightarrow (\forall X5. \\
 & \forall X6. \forall X7. \forall X8. \forall X9. (g1_vectsp_1 X0 X1 \\
 & X2 X3 X4 = g1_vectsp_1 X5 X6 X7 X8 X9) \Rightarrow ((X0 = X5) \wedge ((X1 = X6) \wedge ((X2 = X7) \wedge \\
 & ((X3 = X8) \wedge (X4 = X9))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (m1_subset_1 (u2_struct_0 X0) (u1_struct_0 X0)) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((l1_struct_0 X0) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow \\ & ((v1_funct_1 (u1_vectsp_1 X0 X1)) \wedge ((v1_funct_2 (u1_vectsp_1 \\ & X0 X1) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)) (u1_struct_0 \\ & X1)) \wedge (m1_subset_1 (u1_vectsp_1 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)) (u1_struct_0 \\ & X1)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. (l1_algstr_0 X0) \Rightarrow ((v1_funct_1 (u1_algstr_0 X0)) \wedge \\ & ((v1_funct_2 (u1_algstr_0 X0) (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)) \wedge (m1_subset_1 (u1_algstr_0 \\ & X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (6)$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l1_struct_0 X0) \Rightarrow (\forall X1. (l1_vectsp_1 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v3_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (\\ & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 \\ & X0)))))))))) \wedge (((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\ & X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\ & X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & (l1_vectsp_1 X1 X0)))))))))) \wedge (m1_vectsp_4 X2 X0 X1)) \Rightarrow ((v7_vectsp_1 \\ & (k17_lmod_7 X0 X1 X2) X0) \wedge (l1_vectsp_1 (k17_lmod_7 X0 X1 X2) X0)) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_vectsp_4 X2 X0 X1) \Rightarrow \\
& (k17_lmod_7 X0 X1 X2 = g1_vectsp_1 X0 (u1_struct_0 (k13_lmod_7 X0 \\
& X1 X2)) (u1_algstr_0 (k13_lmod_7 X0 X1 X2)) (k14_lmod_7 X0 X1 X2 (\\
& k4_struct_0 X1)) (k16_lmod_7 X0 X1 X2))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((l1_struct_0 X0) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow \\
& ((v7_vectsp_1 X1 X0) \Rightarrow (X1 = g1_vectsp_1 X0 (u1_struct_0 X1) (u1_algstr_0 \\
& X1) (u2_struct_0 X1) (u1_vectsp_1 X0 X1)))
\end{aligned} \tag{11}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_vectsp_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1_subset_1 X3 (u1_struct_0 (k17_lmod_7 X0 X1 X2)) \Rightarrow \\
& (m1_subset_1 X3 (u1_struct_0 (k13_lmod_7 X0 X1 X2))))))
\end{aligned}$$