

t19_matrix_5

(TMJDvr5CfAmp1NBXABBgMaWt3Czc4dFc9yG)

October 27, 2020

Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k2_numbers : \iota$ be given. Let $k3_matrix_5 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_matrix_5 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $k2_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $k1_complfld : \iota$ be given. Let $v36_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_vectsp_1 : \iota \Rightarrow o$ be given. Let $v6_vectsp_1 : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k1_matrix_5 : \iota \Rightarrow \iota$ be given. Let $k2_matrix_5 : \iota \Rightarrow \iota$ be given. Let $k3_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.(m1_subset_1 \\
 & X1 k5_numbers) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge ((\neg v6_struct_0 \\
 & X2) \wedge ((v13_algstr_0 X2) \wedge ((v33_algstr_0 X2) \wedge ((v3_group_1 X2) \wedge \\
 & ((v5_group_1 X2) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 \\
 & X2) \wedge ((v4_vectsp_1 X2) \wedge ((v5_vectsp_1 X2) \wedge (l6_algstr_0 X2)))))))))) \Rightarrow \\
 & (k2_matrix_3 X2 (k1_matrix_3 X2 X0 X1) = k1_matrix_3 X2 X0 X1))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\ & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\ & X0)))) \Rightarrow (k1_matrix_4 X0 X1 X1 = k1_matrix_3 X0 (k3_finseq_1 X1) (\\ & k1_matrix_1 X1))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\ & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\ & X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\ & (u1_struct_0 X0)))) \Rightarrow (((k3_finseq_1 X1 = k3_finseq_1 X2) \wedge (k1_matrix_1 \\ & X1 = k1_matrix_1 X2)) \Rightarrow (X1 = k1_matrix_4 X0 X1 (k1_matrix_4 X0 X2 X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (5)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (6)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (7)$$

Assume the following.

$$\begin{aligned} & (\neg v6_struct_0 k1_complfld) \wedge ((v13_algstr_0 k1_complfld) \wedge ((\\ & v33_algstr_0 k1_complfld) \wedge ((v36_algstr_0 k1_complfld) \wedge ((v3_group_1 \\ & k1_complfld) \wedge ((v5_group_1 k1_complfld) \wedge ((v3_vectsp_1 k1_complfld) \wedge \\ & ((v5_vectsp_1 k1_complfld) \wedge ((v6_vectsp_1 k1_complfld) \wedge ((v2_rlvect_1 \\ & k1_complfld) \wedge ((v3_rlvect_1 k1_complfld) \wedge (v4_rlvect_1 k1_complfld)))))))))) \end{aligned} \quad (8)$$

Assume the following.

$$(v36_algstr_0 k1_complfld) \wedge (v4_vectsp_1 k1_complfld) \quad (9)$$

Assume the following.

$$\neg v1_xboole_0 \ k1_numbers \quad (10)$$

Assume the following.

$$(\neg v2_struct_0 \ k1_complfld) \wedge (v36_algstr_0 \ k1_complfld) \quad (11)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 \ X1 \ X0) \Rightarrow ((v1_funct_1 \ X1) \wedge ((v1_finseq_1 \ X1) \wedge (m1_subset_1 \ X1 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \ X0)))))) \quad (12)$$

Assume the following.

$$\forall X0. \forall X1. (m1_finseq_1 \ X1 \ X0) \Rightarrow ((v1_relat_1 \ X1) \wedge ((v1_funct_1 \ X1) \wedge (v1_finseq_1 \ X1))) \quad (13)$$

Assume the following.

$$\forall X0. \forall X1. ((v7_ordinal1 \ X0) \wedge (v7_ordinal1 \ X1)) \Rightarrow ((v1_matrix_1 \ (k8_matrix_5 \ X0 \ X1)) \wedge (m2_finseq_1 \ (k8_matrix_5 \ X0 \ X1) \ (k3_finseq_2 \ k2_numbers))) \quad (14)$$

Assume the following.

$$m1_subset_1 \ k5_numbers \ (k1_zfmisc_1 \ k1_numbers) \quad (15)$$

Assume the following.

$$\forall X0. ((v1_relat_1 \ X0) \wedge ((v1_funct_1 \ X0) \wedge (v1_finseq_1 \ X0))) \Rightarrow (m2_subset_1 \ (k3_finseq_1 \ X0) \ k1_numbers \ k5_numbers) \quad (16)$$

Assume the following.

$$\forall X0. ((v1_matrix_1 \ X0) \wedge (m1_finseq_1 \ X0 \ (k3_finseq_2 \ k2_numbers))) \Rightarrow ((v1_matrix_1 \ (k1_matrix_5 \ X0)) \wedge (m2_finseq_1 \ (k1_matrix_5 \ X0) \ (k3_finseq_2 \ (u1_struct_0 \ k1_complfld)))) \quad (17)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 \ X0) \wedge ((\neg v6_struct_0 \ X0) \wedge ((v13_algstr_0 \ X0) \wedge ((v33_algstr_0 \ X0) \wedge ((v3_group_1 \ X0) \wedge ((v5_group_1 \ X0) \wedge ((v2_rlvect_1 \ X0) \wedge ((v3_rlvect_1 \ X0) \wedge ((v4_rlvect_1 \ X0) \wedge ((v4_vectsp_1 \ X0) \wedge ((v5_vectsp_1 \ X0) \wedge (l6_algstr_0 \ X0)))))))))) \wedge ((v1_matrix_1 \ X1) \wedge (m1_finseq_1 \ X1 \ (k3_finseq_2 \ (u1_struct_0 \ X0)))) \wedge ((v1_matrix_1 \ X2) \wedge (m1_finseq_1 \ X2 \ (k3_finseq_2 \ (u1_struct_0 \ X0)))))) \Rightarrow ((v1_matrix_1 \ (k1_matrix_4 \ X0 \ X1 \ X2)) \wedge (m2_finseq_1 \ (k1_matrix_4 \ X0 \ X1 \ X2) \ (k3_finseq_2 \ (u1_struct_0 \ X0)))) \quad (18)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge((v1_finseq_1 X0)\wedge(v1_matrix_1 X0))))\Rightarrow(m1_subset_1 (k1_matrix_1 X0) k5_numbers) \quad (19)$$

Assume the following.

$$(v36_algstr_0 k1_complfld)\wedge(l6_algstr_0 k1_complfld) \quad (20)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0)\Rightarrow(\forall X1.(v7_ordinal1 X1)\Rightarrow(k8_matrix_5 X0 X1 = k2_matrix_5 (k1_matrix_3 k1_complfld X0 X1))) \quad (21)$$

Assume the following.

$$\begin{aligned} &\forall X0.((v1_matrix_1 X0)\wedge(m2_finseq_1 X0 (k3_finseq_2 k2_numbers))\Rightarrow \\ &(\forall X1.((v1_matrix_1 X1)\wedge(m2_finseq_1 X1 (k3_finseq_2 k2_numbers))\Rightarrow \\ &(k3_matrix_5 X0 X1 = k2_matrix_5 (k3_matrix_3 k1_complfld (k1_matrix_5 X0) (k1_matrix_5 X1)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall X0.((v1_matrix_1 X0)\wedge(m2_finseq_1 X0 (k3_finseq_2 (u1_struct_0 k1_complfld))))\Rightarrow(k2_matrix_5 X0 = X0) \quad (23)$$

Assume the following.

$$\forall X0.((v1_matrix_1 X0)\wedge(m2_finseq_1 X0 (k3_finseq_2 k2_numbers))\Rightarrow (k1_matrix_5 X0 = X0)) \quad (24)$$

Assume the following.

$$\begin{aligned} &\forall X0.((\neg v2_struct_0 X0)\wedge((\neg v6_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v33_algstr_0 X0)\wedge((v3_group_1 X0)\wedge((v5_group_1 X0)\wedge \\ &(v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge(l6_algstr_0 X0))))))))))\Rightarrow(\forall X1. \\ &((v1_matrix_1 X1)\wedge(m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 X0))))\Rightarrow(\forall X2.((v1_matrix_1 X2)\wedge(m2_finseq_1 X2 (k3_finseq_2 (u1_struct_0 X0))))\Rightarrow(k1_matrix_4 X0 X1 X2 = k3_matrix_3 X0 X1 (k2_matrix_3 X0 X2)))) \end{aligned} \quad (25)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (26)$$

Theorem 1

$$\forall X0.((v1_matrix_1 X0)\wedge(m2_finseq_1 X0 (k3_finseq_2 k2_numbers))\Rightarrow (k3_matrix_5 X0 (k8_matrix_5 (k3_finseq_1 X0) (k1_matrix_1 X0)) = X0))$$