

t19_mesfunc6

(TMFewQ9ts1MhzucawZ4znFiZJi27WNTDqH7)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_mesfunc6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_mesfunc1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k13_mesfunc1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2. ((v1_funct_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \Rightarrow (\forall X3. (\\ & m2_subset_1 X3 (k1_zfmisc_1 X0) X1) \Rightarrow (\forall X4. (m2_subset_1 \\ & X4 (k1_zfmisc_1 X0) X1) \Rightarrow (((r1_tarski X3 X4) \wedge (r1_mesfunc6 X0 X1 \\ & X2 X4)) \Rightarrow (r1_mesfunc6 X0 X1 X2 X3)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \Rightarrow (\forall X3.(\\ & m2_subset_1 X3 (k1_zfmisc_1 X0) X1) \Rightarrow ((r1_tarski X3 (k1_relset_1 \\ & X0 X2)) \Rightarrow ((r1_mesfunc6 X0 X1 X2 X3) \Leftrightarrow (\forall X4.(v1_xreal_0 X4) \Rightarrow \\ & (k8_subset_1 X0 X3 (k13_mesfunc1 X2 X4) \in X1)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \Rightarrow (\forall X3.(\\ & m2_subset_1 X3 (k1_zfmisc_1 X0) X1) \Rightarrow ((r1_mesfunc6 X0 X1 X2 X3) \Leftrightarrow \\ & (\forall X4.(v1_xreal_0 X4) \Rightarrow (k8_subset_1 X0 X3 (k11_mesfunc1 \\ & X2 X4) \in X1)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski X0 X0 \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k8_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Rightarrow (m1_subset_1 X2 X0)) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (m1_subset_1 (k8_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (10)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xreal_0 X0) \quad (11)$$

Assume the following.

$$\forall X0. (v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_xboole_0 X1)) \quad (12)$$

Theorem 1

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge \\ & ((v1_prob_1 X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \Rightarrow (\forall X3.(\\ & (v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 \\ & k1_numbers)))) \Rightarrow (\forall X4.(m2_subset_1 X4 (k1_zfmisc_1 X0 \\ & X1) \Rightarrow (\forall X5.(m1_subset_1 X5 k1_numbers) \Rightarrow (((r1_mesfunc6 \\ & X0 X1 X2 X4) \wedge ((r1_mesfunc6 X0 X1 X3 X4) \wedge (r1_tarski X4 (k1_relset_1 \\ & X0 X3)))) \Rightarrow (k8_subset_1 X0 (k8_subset_1 X0 X4 (k11_mesfunc1 X2 X5)) \\ & (k13_mesfunc1 X3 X5) \in X1)))))) \end{aligned}$$