

t19_nattra_1

(TMQuQ72i1rU7MMxsKucbHNXctwBom5fQe9r)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_cat_1 : \iota \Rightarrow o$ be given. Let $v3_cat_1 : \iota \Rightarrow o$ be given. Let $v4_cat_1 : \iota \Rightarrow o$ be given. Let $v5_cat_1 : \iota \Rightarrow o$ be given. Let $v6_cat_1 : \iota \Rightarrow o$ be given. Let $l1_cat_1 : \iota \Rightarrow o$ be given. Let $m2_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_nattra_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_nattra_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_nattra_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 \\ & X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow \\ & (\forall X3. ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((\forall X4. (m1_subset_1 \\ & X4 X0) \Rightarrow (k1_funct_1 X2 X4 = k1_funct_1 X3 X4)) \Rightarrow (r2_relset_1 X0 X1 \\ & X2 X3))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 \\ & X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow \\ & (\forall X3. ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((\forall X4. (X4 \in X0) \Rightarrow \\ & (k1_funct_1 X2 X4 = k1_funct_1 X3 X4)) \Rightarrow (r2_relset_1 X0 X1 X2 X3))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((m1_subset_1 X2 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))) \Rightarrow ((r2_relset_1 X0 X1 X2 X3) \Leftrightarrow (X2 = X3)) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1))))\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((r2_funct_2 X0 X1 X2 \\ & X3)\Leftrightarrow(X2 = X3)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ & X0)\wedge((\neg v11_struct_0 X0)\wedge((v2_cat_1 X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 \\ & X0)\wedge((v5_cat_1 X0)\wedge((v6_cat_1 X0)\wedge(l1_cat_1 X0))))))))\wedge(((\\ & \neg v2_struct_0 X1)\wedge((\neg v11_struct_0 X1)\wedge((v2_cat_1 X1)\wedge((v3_cat_1 \\ & X1)\wedge((v4_cat_1 X1)\wedge((v5_cat_1 X1)\wedge((v6_cat_1 X1)\wedge(l1_cat_1 \\ & X1))))))))\wedge((m2_cat_1 X2 X0 X1)\wedge(m2_cat_1 X3 X0 X1)))\Rightarrow(\forall X4. \\ & (m1_nattra_1 X4 X0 X1 X2 X3)\Rightarrow((v1_funct_1 X4)\wedge((v1_funct_2 X4 (\\ & u1_struct_0 X0) (u4_struct_0 X1))\wedge(m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X0) (u4_struct_0 X1)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 X0)\wedge((v2_cat_1 \\ & X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 X0)\wedge((v5_cat_1 X0)\wedge((v6_cat_1 \\ & X0)\wedge(l1_cat_1 X0))))))))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge((\\ & \neg v11_struct_0 X1)\wedge((v2_cat_1 X1)\wedge((v3_cat_1 X1)\wedge((v4_cat_1 \\ & X1)\wedge((v5_cat_1 X1)\wedge((v6_cat_1 X1)\wedge(l1_cat_1 X1))))))))\Rightarrow(\forall X2. \\ & (m2_cat_1 X2 X0 X1)\Rightarrow(\forall X3.(m2_cat_1 X3 X0 X1)\Rightarrow((r1_nattra_1 \\ & X0 X1 X2 X3)\Rightarrow(\forall X4.(m1_nattra_1 X4 X0 X1 X2 X3)\Rightarrow(\forall X5. \\ & (m1_subset_1 X5 (u1_struct_0 X0)\Rightarrow(k4_nattra_1 X0 X1 X2 X3 X4 X5 = \\ & k3_funct_2 (u1_struct_0 X0) (u4_struct_0 X1) X4 X5)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Leftrightarrow(\forall X1.\neg X1 \in X0) \quad (8)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ & X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\ & \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\ & X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ & (m2_cat_1 X2 X1 X0) \Rightarrow (\forall X3.(m2_cat_1 X3 X1 X0) \Rightarrow ((r1_nattr_1 \\ & X1 X0 X2 X3) \Rightarrow (\forall X4.(m1_nattr_1 X4 X1 X0 X2 X3) \Rightarrow (\forall X5. \\ & (m1_nattr_1 X5 X1 X0 X2 X3) \Rightarrow ((\forall X6.(m1_subset_1 X6 (u1_struct_0 \\ & X1)) \Rightarrow (k4_nattr_1 X1 X0 X2 X3 X4 X6 = k4_nattr_1 X1 X0 X2 X3 X5 X6)) \Rightarrow \\ & (r2_funct_2 (u1_struct_0 X1) (u4_struct_0 X0) X4 X5)))))))) \end{aligned}$$