

## t19\_semi\_af1

(TMawpjJFb96nVh75AfEcnQNqhH9iKyGLZbN)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_semi\_af1 : \iota \Rightarrow o$  be given. Let  $l1\_analoaf : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r2\_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v1\_semi\_af1 X0) \wedge (l1\_analoaf \\ & \quad X0))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & \quad (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (r2\_analoaf X0 X1 X2 X1 X2))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v1\_semi\_af1 X0) \wedge (l1\_analoaf \\ & \quad X0))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & \quad (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 \\ & \quad (u1\_struct\_0 X0)) \Rightarrow (\forall X4. (m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow \\ & \quad (((r2\_analoaf X0 X1 X3 X1 X4) \wedge (r2\_analoaf X0 X2 X3 X2 X4)) \Rightarrow ((r2\_analoaf \\ & \quad X0 X1 X2 X1 X3) \vee (X3 = X4)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v1\_semi\_af1 X0) \wedge (l1\_analoaf \\ & \quad X0))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & \quad (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 \\ & \quad (u1\_struct\_0 X0)) \Rightarrow (\forall X4. (m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow \\ & \quad (\forall X5. (m1\_subset\_1 X5 (u1\_struct\_0 X0)) \Rightarrow (((r2\_analoaf \\ & \quad X0 X1 X3 X4 X5) \wedge (r2\_analoaf X0 X2 X3 X4 X5)) \Rightarrow ((r2\_analoaf X0 X1 X2 X1 \\ & \quad X3) \vee (X4 = X5)))))) \end{aligned} \quad (3)$$



**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v1\_semi\_af1 X0) \wedge (l1\_analoaf \\ & X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\ & (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow \\ & (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 X0)) \Rightarrow (\forall X6.(m1\_subset\_1 \\ & X6 (u1\_struct\_0 X0)) \Rightarrow (\forall X7.(m1\_subset\_1 X7 (u1\_struct\_0 \\ & X0)) \Rightarrow (((r2\_analoaf X0 X1 X2 X4 X5) \wedge ((r2\_analoaf X0 X1 X3 X4 X6) \wedge \\ & (r2\_analoaf X0 X1 X3 X4 X7) \wedge ((r2\_analoaf X0 X2 X3 X5 X6) \wedge (r2\_analoaf \\ & X0 X2 X3 X5 X7)))))) \Rightarrow ((r2\_analoaf X0 X1 X2 X1 X3) \vee (X6 = X7))))))))) \end{aligned}$$