

t1_aff_1

(TMRva3oRUVe1i5ArQ9sVbZSxJV81wN3Ch3V)

October 27, 2020

Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $v1_diraf : \iota \Rightarrow o$ be given. Let $l1_analoaf : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\
 & \quad ((\neg \forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \forall X2. \\
 & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (X1 = X2))) \wedge ((\forall X1.(m1_subset_1 \\
 & \quad X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
 & \quad X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. \\
 & \quad (m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 \\
 & \quad (u1_struct_0 X0)) \Rightarrow (\forall X6.(m1_subset_1 X6 (u1_struct_0 X0)) \Rightarrow \\
 & ((r2_analoaf X0 X1 X2 X2 X1) \wedge ((r2_analoaf X0 X1 X2 X3 X3) \wedge (((r2_analoaf \\
 & \quad X0 X1 X2 X3 X4) \wedge (r2_analoaf X0 X1 X2 X5 X6)) \Rightarrow ((X1 = X2) \vee (r2_analoaf \\
 & \quad X0 X3 X4 X5 X6)))) \wedge ((r2_analoaf X0 X1 X2 X1 X3) \Rightarrow (r2_analoaf X0 X2 X1 \\
 & \quad X2 X3))))))))) \wedge ((\neg \forall X1.(m1_subset_1 X1 (u1_struct_0 \\
 & \quad X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\
 & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (r2_analoaf X0 X1 X2 X1 X3)))) \wedge \\
 & \quad ((\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(\\
 & \quad m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
 & \quad (u1_struct_0 X0)) \Rightarrow (\exists X4.(m1_subset_1 X4 (u1_struct_0 X0)) \wedge \\
 & \quad ((r2_analoaf X0 X1 X3 X2 X4) \wedge (X2 \neq X4)))))) \wedge ((\forall X1.(m1_subset_1 \\
 & \quad X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
 & \quad X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\exists X4. \\
 & \quad (m1_subset_1 X4 (u1_struct_0 X0)) \wedge ((r2_analoaf X0 X1 X2 X3 X4) \wedge \\
 & \quad (r2_analoaf X0 X1 X3 X2 X4)))))) \wedge ((\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
 & \quad X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\
 & \quad (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 \\
 & \quad (u1_struct_0 X0)) \Rightarrow (\neg (r2_analoaf X0 X3 X1 X1 X4) \wedge ((X1 \neq X3) \wedge (\forall X5. \\
 & \quad (m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\neg (r2_analoaf X0 X2 X1 X1 X5) \wedge \\
 & \quad (r2_analoaf X0 X2 X3 X4 X5)))))))))))))
 \end{aligned}$$

(1)

Theorem 1

$$\forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\neg \forall X2.(\\ m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (X1 = X2)))$$