

t1_bhsp_2

(TMGsZYCo7nYw3DkCovQRvJEyVPhxJ4o2Z3Y)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_funct_1 : \iota \Rightarrow o$ be given. Let $v1_bhsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_bhsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k8_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k1_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (k4_bhsp_1 X0 X1 X1 = k6_numbers)) \end{aligned} \quad (1)$$

Assume the following.

$$m1_subset_1 \ k1_xboole_0 \ k4_ordinal1 \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_funct_1 X1) \wedge ((v1_funct_2 \\ & X1 \ k5_numbers X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \ k5_numbers \\ & X0)))))) \wedge (v7_ordinal1 X2)) \Rightarrow (k8_nat_1 X0 X1 X2 = k1_funct_1 X1 X2) \end{aligned} \quad (3)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_struct_0 \\ & X0))\wedge(((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\wedge(m1_subset_1 X2 k5_numbers)))\Rightarrow(k1_normsp_1 X0 X1 X2 = \\ & k1_funct_1 X1 X2) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0)\Rightarrow(l2_algstr_0 X0) \quad (8)$$

Assume the following.

$$\forall X0.(l1_bhsp_1 X0)\Rightarrow(l1_rlvect_1 X0) \quad (9)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\ & ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v2_bhsp_1 \\ & X0)\wedge(l1_bhsp_1 X0))))))))))\Rightarrow(\forall X1.((v1_funct_1 X1)\wedge \\ & ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 X1 \\ & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))\Rightarrow \\ & ((v1_bhsp_2 X1 X0)\Leftrightarrow(\exists X2.(m1_subset_1 X2 (u1_struct_0 X0))\wedge \\ & (\forall X3.(m1_subset_1 X3 k1_numbers)\Rightarrow(\neg(\neg r1_xxreal_0 X3 k6_numbers)\wedge \\ & (\forall X4.(m1_subset_1 X4 k5_numbers)\Rightarrow(\exists X5.(m1_subset_1 \\ & X5 k5_numbers)\wedge((r1_xxreal_0 X4 X5)\wedge(r1_xxreal_0 X3 (k4_bhsp_1 \\ & X0 (k1_normsp_1 X0 X1 X5) X2)))))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\ (v1_funct_2 X1 k5_numbers X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ k5_numbers X0)))) \Rightarrow ((v3_funct_1 X1) \Leftrightarrow (\exists X2.(m1_subset_1 \\ X2 X0) \wedge (\forall X3.(v7_ordinal1 X3) \Rightarrow (k8_nat_1 X0 X1 X3 = X2)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (13)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\ ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\ (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\ ((v3_funct_1 X1) \Rightarrow (v1_bhsp_2 X1 X0))) \end{aligned}$$