

t1_ec_pf_2 (TMHX-
iLva4zyP97BY6LZDoUdM3gxPTFYju1C)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_binom : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $v1_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $k2_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k4_group_1 : \iota \Rightarrow \iota$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_group_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l3_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v1_group_1 X0) \wedge (l3_algstr_0 \\ & X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k2_binop_1 \\ & (u1_struct_0 X0) k5_numbers (u1_struct_0 X0) (k4_group_1 X0) X1 \quad (1) \\ & np_2 = k6_algstr_0 X0 X1 X1)) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v33_algstr_0 \\ & X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((\\ & v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 \\ & X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 \\ & (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow \\ & ((k8_group_1 X0 X1 X1 = k8_group_1 X0 X2 X2) \Leftrightarrow ((X1 = X2) \vee (X1 = k4_algstr_0 \\ & X0 X2)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_2) \wedge (m2_subset_1 np_2 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_2 k5_numbers) \wedge (m1_subset_1 np_2 k1_numbers)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v5_group_1 \\ & X0) \wedge (l3_algstr_0 X0))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge \\ & (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (k8_group_1 X0 X1 X2 = k6_algstr_0 \\ & X0 X1 X2) \end{aligned} \quad (4)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\ & (((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (((v1_funct_1 X3) \wedge ((\\ & v1_funct_2 X3 (k2_zfmisc_1 X0 X1) X2) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 X0 X1) X2)))))) \wedge ((m1_subset_1 X4 X0) \wedge \\ & (m1_subset_1 X5 X1)))))) \Rightarrow (k2_binop_1 X0 X1 X2 X3 X4 X5 = k1_binop_1 \\ & X3 X4 X5) \end{aligned} \quad (6)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (7)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0. (l5_algstr_0 X0) \Rightarrow ((l4_algstr_0 X0) \wedge (l4_struct_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l4_algstr_0 X0) \Rightarrow ((l3_struct_0 X0) \wedge (l3_algstr_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l3_algstr_0 X0)) \Rightarrow & ((v1_funct_1 \\ (k4_group_1 X0)) \wedge ((v1_funct_2 (k4_group_1 X0) (k2_zfmisc_1 (\\ u1_struct_0 X0) k5_numbers) (u1_struct_0 X0)) \wedge (m1_subset_1 (\\ k4_group_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ X0) k5_numbers) (u1_struct_0 X0)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v1_group_1 X0) \wedge (l3_algstr_0 \\ X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ (v7_ordinal1 X2) \Rightarrow (k2_binom X0 X1 X2 = k1_binop_1 (k4_group_1 X0) \\ X1 X2))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (16)$$

Assume the following.

$$\forall X0.(l4_algstr_0 X0) \Rightarrow (((\neg v2_struct_0 X0) \wedge (v4_vectsp_1 \\ X0)) \Rightarrow ((\neg v2_struct_0 X0) \wedge (v1_group_1 X0))) \quad (17)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\ X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ (u1_struct_0 X0)) \Rightarrow ((X1 = k4_algstr_0 X0 X2) \Rightarrow (k2_binom X0 X1 np_2 = \\ k2_binom X0 X2 np_2)))) \end{aligned}$$