

## t1\_fomodel3

(TMayngiZ9kkoaArGuSVmPgcvM4e8fCUQjCQ)

October 27, 2020

Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v1\_partfun1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v3\_relat\_2 : \iota \Rightarrow o$  be given. Let  $v8\_relat\_2 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k8\_eqrel\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k7\_eqrel\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_setfam\_1 : \iota \Rightarrow o$  be given. Let  $m1\_eqrel\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_setfam\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 X1) \Rightarrow ((v1\_xboole\_0 X1) \vee (X0 \in X1)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge (\neg v1\_xboole\_0 X1)) \Rightarrow ((r2\_subset\_1 X0 X1) \Leftrightarrow (r1\_xboole\_0 X0 X1)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2. (m2\_subset\_1 X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((v3\_relat\_2 X1) \wedge ((v8\_relat\_2 X1) \wedge ((v1\_partfun1 X1 X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0)))))) \Rightarrow (k8\_eqrel\_1 X0 X1 = k7\_eqrel\_1 X0 X1) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((v3\_relat\_2 X1) \wedge ((v8\_relat\_2 X1) \wedge ((v1\_partfun1 X1 X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))))))) \Rightarrow (v1\_setfam\_1 (k7\_eqrel\_1 X0 X1)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0)\wedge((\neg v1\_xboole\_0 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))))\Rightarrow(\forall X2.(m2\_subset\_1 X2 X0 X1)\Rightarrow(m1\_subset\_1 X2 X0)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_eqrel\_1 X1 X0)\Rightarrow(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k1\_zfmisc\_1 X0))) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((v3\_relat\_2 X1)\wedge((v8\_relat\_2 X1)\wedge((v1\_partfun1 X1 X0)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))))))\Rightarrow(m1\_eqrel\_1 (k8\_eqrel\_1 X0 X1) X0) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k1\_zfmisc\_1 X0)))\Rightarrow((m1\_eqrel\_1 X1 X0)\Leftrightarrow((k5\_setfam\_1 X0 X1 = X0)\wedge(\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 X0))\Rightarrow((X2 \in X1)\Rightarrow((X2 \neq k1\_xboole\_0)\wedge(\forall X3.(m1\_subset\_1 X3 (k1\_zfmisc\_1 X0))\Rightarrow(\neg(X3 \in X1)\wedge((X2 \neq X3)\wedge(\neg r1\_xboole\_0 X2 X3)))))))))) \quad (9)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))\Rightarrow(v1\_xboole\_0 X1)) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v1\_xboole\_0 X0)\wedge(v1\_setfam\_1 X0))\Rightarrow(\forall X1.(m1\_subset\_1 X1 X0)\Rightarrow(\neg v1\_xboole\_0 X1)) \quad (11)$$

Assume the following.

$$\forall X0.(\neg v1\_xboole\_0 X0)\Rightarrow(\forall X1.(m1\_eqrel\_1 X1 X0)\Rightarrow(\neg v1\_xboole\_0 X1)) \quad (12)$$

### Theorem 1

$$\forall X0.(\neg v1\_xboole\_0 X0)\Rightarrow(\forall X1.((v1\_partfun1 X1 X0)\wedge((v3\_relat\_2 X1)\wedge((v8\_relat\_2 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))))))\Rightarrow(\forall X2.(m2\_subset\_1 X2 (k1\_zfmisc\_1 X0) (k8\_eqrel\_1 X0 X1))\Rightarrow(\forall X3.(m2\_subset\_1 X3 (k1\_zfmisc\_1 X0) (k8\_eqrel\_1 X0 X1))\Rightarrow((\neg r2\_subset\_1 X2 X3)\Rightarrow(X2 = X3))))))$$