

t1\_goboard1  
(TMPgQdiYKc8CLh52mmEpR63ZzLyrxbTYuzE)

October 27, 2020

Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k15\_euclid : \iota \Rightarrow \iota$  be given. Let  $np\_2 : \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k4\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k7\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_topreal1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $np\_1 : \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m1\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v6\_membered : \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 (k1\_zfmisc\_1 X1)) \Leftrightarrow (r1\_tarski X0 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. (m1\_subset\_1 X0 (u1\_struct\_0 (k15\_euclid np\_2))) \Rightarrow \\ & (\forall X1. (m2\_finseq\_1 X1 (u1\_struct\_0 (k15\_euclid np\_2))) \Rightarrow \\ & ((r1\_xxreal\_0 np\_2 (k3\_finseq\_1 X1)) \Rightarrow ((X0 \in k3\_topreal1 np\_2 \\ & X1) \vee (\forall X2. (m1\_subset\_1 X2 k5\_numbers) \Rightarrow (\neg(r1\_xxreal\_0 \\ & np\_1 X2) \wedge ((r1\_xxreal\_0 X2 (k3\_finseq\_1 X1)) \wedge (k7\_partfun1 (u1\_struct\_0 \\ & (k15\_euclid np\_2)) X1 X2 = X0))))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow \\ & (\forall X1. (v7\_ordinal1 X1) \Rightarrow ((X1 \in k1\_relset\_1 k5\_numbers X0) \Leftrightarrow \\ & ((r1\_xxreal\_0 np\_1 X1) \wedge (r1\_xxreal\_0 X1 (k3\_finseq\_1 X0)))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0)\wedge((\neg v1\_xboole\_0 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))))\Rightarrow(\forall X2.(m2\_subset\_1 X2 X0 X1)\Leftrightarrow(m1\_subset\_1 X2 X1)) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.(m2\_finseq\_1 X1 X0)\Leftrightarrow(m1\_finseq\_1 X1 X0) \quad (5)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (6)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0)\wedge((v1\_funct\_1 X0)\wedge(v1\_finseq\_1 X0)))\Rightarrow(k4\_finseq\_1 X0 = k9\_xtuple\_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (8)$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1)\wedge(v3\_ordinal1 k4\_ordinal1) \quad (9)$$

Assume the following.

$$v6\_membered k4\_ordinal1 \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(m2\_finseq\_1 X1 X0)\Rightarrow((v1\_funct\_1 X1)\wedge((v1\_finseq\_1 X1)\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers X0)))))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_finseq\_1 X1 X0)\Rightarrow((v1\_relat\_1 X1)\wedge((v1\_funct\_1 X1)\wedge(v1\_finseq\_1 X1))) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v1\_relat\_1 X1)\wedge((v5\_relat\_1 X1 X0)\wedge(v1\_funct\_1 X1)))\Rightarrow(m1\_subset\_1 (k7\_partfun1 X0 X1 X2) X0) \quad (13)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.(r1\_tarSKI X0 X1)\Leftrightarrow(\forall X2.(X2 \in X0)\Rightarrow (X2 \in X1)) \quad (15)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0)\wedge((v1\_funct\_1 X0)\wedge(v1\_finseq\_1 X0)))\Rightarrow ((v1\_relat\_1 X0)\wedge((v4\_relat\_1 X0 k5\_numbers)\wedge((v1\_funct\_1 X0)\wedge (v1\_finseq\_1 X0)))) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow((v4\_relat\_1 X2 X0)\wedge(v5\_relat\_1 X2 X1)) \quad (17)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))\Rightarrow(v1\_xboole\_0 X1)) \quad (18)$$

Assume the following.

$$\forall X0.(v6\_membered X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 X0)\Rightarrow (v7\_ordinal1 X1)) \quad (19)$$

**Theorem 1**

$$\forall X0.(m2\_finseq\_1 X0 (u1\_struct\_0 (k15\_euclid np\_2)))\Rightarrow (\forall X1.(m2\_subset\_1 X1 k1\_numbers k5\_numbers)\Rightarrow(((X1 \in k4\_finseq\_1 X0)\wedge(r1\_xxreal\_0 np\_2 (k3\_finseq\_1 X0)))\Rightarrow(k7\_partfun1 (u1\_struct\_0 (k15\_euclid np\_2)) X0 X1 \in k3\_topreal1 np\_2 X0)))$$