

t1_metric_2 (TMbNWXbXpKERT- dRTzeeWdfF69hbmVKKUr9U)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_metric_1 : \iota \Rightarrow o$ be given. Let $v8_metric_1 : \iota \Rightarrow o$ be given. Let $v9_metric_1 : \iota \Rightarrow o$ be given. Let $l1_metric_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r3_metric_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $k2_metric_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k2_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $r1_metric_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k4_metric_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (\neg(r1_xxreal_0 X0 X1) \wedge (\neg v2_xxreal_0 X1) \wedge (v2_xxreal_0 X0))) \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_metric_1 X0) \Rightarrow ((\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (r1_xxreal_0 (k2_metric_1 X0 X1 X3) (k7_real_1 (k2_metric_1 X0 X1 X2) (k2_metric_1 X0 X2 X3)))))) \Leftrightarrow \\ (v9_metric_1 X0)) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (((r1_xxreal_0 X0 X1) \wedge (v3_xxreal_0 X1)) \Rightarrow (v3_xxreal_0 X0))) \quad (4)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k2_xcmplx_0 X0 k6_numbers = X0) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(v8_metric_1 X0)\wedge(l1_metric_1 X0)))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0)))\Rightarrow((r3_metric_2 X0 X1 X2)\Leftrightarrow(r1_metric_2 X0 X1 X2)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k1_numbers)\wedge(v1_xreal_0 X1))\Rightarrow(k7_real_1 X0 X1 = k2_xcmplx_0 X0 X1) \quad (7)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v8_metric_1 X0)\wedge(l1_metric_1 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(k4_metric_1 X0 X1 X2 = k2_metric_1 X0 X1 X2) \quad (9)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v8_metric_1 X0)\wedge(l1_metric_1 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k4_metric_1 X0 X1 X2) k1_numbers) \quad (11)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_metric_1 X0))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow((r1_metric_2 X0 X1 X2)\Leftrightarrow(k2_metric_1 X0 X1 X2 = k6_numbers)))) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v8_metric_1 X0)\wedge(l1_metric_1 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(k4_metric_1 X0 X1 X2 = k4_metric_1 X0 X2 X1) \quad (13)$$

Assume the following.

$$\forall X0.((v1_xxreal_0 X0)\wedge((\neg v2_xxreal_0 X0)\wedge(\neg v3_xxreal_0 X0)))\Rightarrow((v1_xboole_0 X0)\wedge(v1_xxreal_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0.((v1_xxreal_0 X0) \wedge (v3_xxreal_0 X0)) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v1_xxreal_0 X0) \wedge (\neg v2_xxreal_0 X0))) \quad (15)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (v1_xxreal_0 X0) \quad (16)$$

Assume the following.

$$\forall X0.((v1_xxreal_0 X0) \wedge (v2_xxreal_0 X0)) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v1_xxreal_0 X0) \wedge (\neg v3_xxreal_0 X0))) \quad (17)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (v1_xcmplx_0 X0) \quad (18)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xreal_0 X0) \quad (19)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v6_metric_1 X0) \wedge ((v8_metric_1 \\ & X0) \wedge ((v9_metric_1 X0) \wedge (l1_metric_1 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (((r3_metric_2 \\ & X0 X1 X2) \wedge (r3_metric_2 X0 X2 X3)) \Rightarrow (r3_metric_2 X0 X1 X3)))))) \end{aligned}$$