

t1\_mmlquery  
(TMbC96bTCno7qz7HJm485nobCG6qxgSSAZq)

October 27, 2020

Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_tarski : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. (v1\_relat\_1 X2) \Rightarrow ((k4\_tarski X0 X1 \in X2) \Leftrightarrow (X1 \in k9\_relat\_1 X2 X0)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (r1\_tarski X0 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (X2 \in X1)) \quad (2)$$

Assume the following.

$$\forall X0. (v1\_relat\_1 X0) \Rightarrow (\forall X1. (r1\_tarski X0 X1) \Leftrightarrow (\forall X2. \forall X3. (k4\_tarski X2 X3 \in X0) \Rightarrow (k4\_tarski X2 X3 \in X1))) \quad (3)$$

**Theorem 1**

$$\forall X0. (v1\_relat\_1 X0) \Rightarrow (\forall X1. (v1\_relat\_1 X1) \Rightarrow ((r1\_tarski X0 X1) \Leftrightarrow (\forall X2. r1\_tarski (k9\_relat\_1 X0 X2) (k9\_relat\_1 X1 X2))))$$