

t1_scmring3 (TMSBLKAwR- FcWgs6Qr3PuxtQZVyNCMRAampz)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_ami_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_scmring2 : \iota \Rightarrow \iota$ be given. Let $k4_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_ami_2 : \iota$ be given. Let $k2_ami_2 : \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_ami_2 : \iota$ be given. Let $k1_scmring1 : \iota \Rightarrow \iota$ be given. Let $k8_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_ami_3 : \iota$ be given. Let $k2_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_compos_1 : \iota \Rightarrow o$ be given. Let $v1_setfam_1 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg(X0 \in X1) \wedge ((m1_subset_1 X1 (k1_zfmisc_1 X2)) \wedge (v1_xboole_0 X2)) \quad (2)$$

Assume the following.

$$\forall X0. (m2_subset_1 X0 k1_ami_2 k2_ami_2) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge (l1_struct_0 X1)) \Rightarrow (k1_funct_1 (k3_relat_1 k3_ami_2 (k1_scmring1 X1)) X0 = u1_struct_0 X1)) \quad (3)$$

Assume the following.

$$k8_struct_0 k1_ami_3 = k2_ami_2 \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge \\ & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow \\ & (k2_memstr_0 np_2 (k1_scmring2 X0) = k3_relat_1 k3_ami_2 (k1_scmring1 \\ & X0)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge \\ & ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v3_group_1 \\ & X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge (l6_algstr_0 X1))))))) \Rightarrow \\ & (((v1_ami_2 X0) \wedge (m1_subset_1 X0 (u1_struct_0 (k1_scmring2 X1)))) \Leftrightarrow \\ & (X0 \in k8_struct_0 k1_ami_3)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_2) \wedge (m2_subset_1 np_2 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_2 k5_numbers) \wedge (m1_subset_1 np_2 k1_numbers)) \end{aligned} \quad (8)$$

Assume the following.

$$\neg v1_xboole_0 np_2 \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (10)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge \\ & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow \\ & ((\neg v2_struct_0 (k1_scmring2 X0)) \wedge (v1_extpro_1 (k1_scmring2 \\ & X0) np_2)) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (13)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.(l1_extpro_1 X1 X0) \Rightarrow ((l1_memstr_0 X1 X0) \wedge (l1_compos_1 X1)) \quad (16)$$

Assume the following.

$$m1_subset_1 k2_ami_2 (k1_zfmisc_1 k1_ami_2) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\ v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\ ((v1_extpro_1 (k1_scmring2 X0) np_2) \wedge (l1_extpro_1 (k1_scmring2 \\ X0) np_2)) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1_setfam_1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\ (l1_memstr_0 X1 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ X1)) \Rightarrow (k4_memstr_0 X0 X1 X2 = k1_funct_1 (k2_memstr_0 X0 X1) X2))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (20)$$

Assume the following.

$$\forall X0.((\neg v1_xboole_0 X0) \wedge (v7_ordinal1 X0)) \Rightarrow ((\neg v1_xboole_0 \\ X0) \wedge ((v7_ordinal1 X0) \wedge (\neg v1_setfam_1 X0))) \quad (21)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\ v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\ (\forall X1.((v1_ami_2 X1) \wedge (m1_subset_1 X1 (u1_struct_0 (k1_scmring2 \\ X0)))))) \Rightarrow (k4_memstr_0 np_2 (k1_scmring2 X0) X1 = u1_struct_0 X0) \end{aligned}$$