

t1\_tdlat\_1  
(TMJDjPeiQDWSs9nL18hKTXJsueFri9aRC7s)

October 27, 2020

Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k4\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. (r1\_tarski X0 X1) \Rightarrow (r1\_tarski (k2\_xboole\_0 X0 X2) (k2\_xboole\_0 X1 X2)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. k4\_xboole\_0 (k2\_xboole\_0 X0 X1) X1 = k4\_xboole\_0 X0 X1 \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 (k1\_zfmisc\_1 X1)) \Leftrightarrow (r1\_tarski X0 X1) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. r1\_tarski (k4\_xboole\_0 X0 X1) X0 \quad (4)$$

Assume the following.

$$\forall X0. (l1\_struct\_0 X0) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (k4\_subset\_1 (u1\_struct\_0 X0) X1 (k3\_subset\_1 (u1\_struct\_0 X0) X1) = k2\_struct\_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 X0))) \Rightarrow (k4\_subset\_1 X0 X1 X2 = k2\_xboole\_0 X1 X2) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 X0)))\Rightarrow(m1\_subset\_1 (k4\_subset\_1 X0 X1 X2) (k1\_zfmisc\_1 X0)) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))\Rightarrow(k3\_subset\_1 X0 X1 = k4\_xboole\_0 X0 X1) \quad (8)$$

Assume the following.

$$\forall X0.(l1\_struct\_0 X0)\Rightarrow(k2\_struct\_0 X0 = u1\_struct\_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(X0 = X1)\Leftrightarrow((r1\_tarski X0 X1)\wedge(r1\_tarski X1 X0)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.k2\_xboole\_0 X0 X1 = k2\_xboole\_0 X1 X0 \quad (11)$$

**Theorem 1**

$$\forall X0.(l1\_struct\_0 X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))\Rightarrow(\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))\Rightarrow((k4\_subset\_1 (u1\_struct\_0 X0) X1 X2 = k2\_struct\_0 X0)\Leftrightarrow(r1\_tarski (k3\_subset\_1 (u1\_struct\_0 X0) X1) X2))))$$