

# t1\_waybel13

(TMM7qqE6vHb8jLbLbQNUr14ZBcZjGJkxLiv)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v3\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v4\_orders\_2 : \iota \Rightarrow o$  be given. Let  $l1\_orders\_2 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r3\_orders\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_waybel\_8 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_orders\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_waybel\_3 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.((v4\_orders\_2 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 \\ & (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow \\ & (((r1\_orders\_2 X0 X1 X2) \wedge (r1\_orders\_2 X0 X2 X3)) \Rightarrow (r1\_orders\_2 \\ & X0 X1 X3)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge ((v3\_orders\_2 \\ & X0) \wedge (l1\_orders\_2 X0))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge \\ & m1\_subset\_1 X2 (u1\_struct\_0 X0))) \Rightarrow ((r3\_orders\_2 X0 X1 X2) \Leftrightarrow (r1\_orders\_2 \\ & X0 X1 X2)) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (r1\_tarski X0 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (X2 \in X1)) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v3\_orders\_2 X0) \wedge (l1\_orders\_2 \\ & X0))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (k2\_waybel\_8 \\ & X0 X1 = \text{ReplSep} (\text{toset} (\lambda X2 : \iota. m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)))) (\lambda X2 : \iota. (r1\_orders\_2 X0 X2 X1) \wedge (v1\_waybel\_3 X2 X0)) \\ & (\lambda X2 : \iota. X2))) \end{aligned} \quad (4)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (v3\_orders\_2 X0) \wedge ((v4\_orders\_2 \\ & X0) \wedge (l1\_orders\_2 X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((r3\_orders\_2 \\ & X0 X1 X2) \Rightarrow (r1\_tarSKI (k2\_waybel\_8 X0 X1) (k2\_waybel\_8 X0 X2)))))) \end{aligned}$$