

t20_group_8
(TMF3LEMB1KgPZgerW5CBUDFVxBF5wPHhAj8)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v8_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k18_group_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $v3_xxreal_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k3_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_group_1 : \iota \Rightarrow \iota$ be given. Let $k4_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k7_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow ((r1_xxreal_0 X0 X1) \Rightarrow ((v1_xboole_0 X0) \vee ((v2_xxreal_0 X1) \vee (v3_xxreal_0 X0)))))) \quad (1)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (2)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k3_xcmplx_0 X0 \ k6_numbers = k6_numbers) \quad (3)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v8_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (k7_group_1 X0 = k4_nat_1 (k7_group_1 X1) (k18_group_2 X0 X1))) \quad (4)$$

Assume the following.

$$\forall X0.((v8_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (k7_group_1 X0 = k7_struct_0 X0) \quad (5)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(v7_ordinal1 X1))\Rightarrow(k4_nat_1 X0 X1 = k3_xcmplx_0 X0 X1) \quad (8)$$

Assume the following.

$$\exists X0.(v1_xboole_0 X0)\wedge((v1_xcmplx_0 X0)\wedge((v1_xxreal_0 X0)\wedge(v1_xreal_0 X0))) \quad (9)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v8_struct_0 X0)\wedge(l1_struct_0 X0)))\Rightarrow((\neg v1_xboole_0 (k7_struct_0 X0))\wedge(v7_ordinal1 (k7_struct_0 X0))) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge(l3_algstr_0 X0)))\Rightarrow(\forall X1.(m1_group_2 X1 X0)\Rightarrow((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge(l3_algstr_0 X1)))) \quad (11)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0))))\wedge(m1_group_2 X1 X0))\Rightarrow(m1_subset_1 (k18_group_2 X0 X1) k5_numbers) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(v7_ordinal1 X1))\Rightarrow(k4_nat_1 X0 X1 = k4_nat_1 X1 X0) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xcmplx_0 X0)\wedge(v1_xcmplx_0 X1))\Rightarrow(k3_xcmplx_0 X0 X1 = k3_xcmplx_0 X1 X0) \quad (15)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (16)$$

Assume the following.

$$\forall X0.((v1_xreal_0 X0) \wedge (v2_xreal_0 X0)) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v1_xreal_0 X0) \wedge (\neg v3_xreal_0 X0))) \quad (17)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (v1_xcmplx_0 X0) \quad (18)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v8_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0))))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (v8_struct_0 X1)) \quad (19)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (v1_xreal_0 X0) \quad (20)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\neg v3_xreal_0 X0) \quad (21)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v8_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0))))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (\neg v1_xreal_0 (k18_group_2 X0 X1) k6_numbers))$$