

t20_hurwitz (TMYMu-
Ven3aMwZRmEArJBm5FGaxS4UJmbBaH)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_algseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_hurwitz : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_polynom3 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k1_algseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k2_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k6_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_0 : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \Rightarrow (\forall X1. \\ & ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\ & ((v1_algseq_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & k5_numbers (u1_struct_0 X0)))))) \Rightarrow ((k1_algseq_1 X0 X1 = k6_numbers) \Rightarrow \\ & (r2_funct_2 k5_numbers (u1_struct_0 X0) X1 (k9_polynom3 X0)))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \Rightarrow (k1_algseq_1 X0 (k9_polynom3 X0) = k6_numbers) \quad (3)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k2_xcmplx_0 X0 k6_numbers = X0) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v1_xcmplx_0 X0)\wedge((v1_xcmplx_0 X1)\wedge(v1_xcmplx_0 X2)))\Rightarrow(k2_xcmplx_0 (k2_xcmplx_0 X0 X1) X2 = k2_xcmplx_0 X0 (k2_xcmplx_0 X1 X2)) \quad (5)$$

Assume the following.

$$((v2_xxreal_0 np_1)\wedge(m2_subset_1 np_1 k1_numbers k5_numbers))\wedge((m1_subset_1 np_1 k5_numbers)\wedge(m1_subset_1 np_1 k1_numbers)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xcmplx_0 X0)\wedge(v1_xcmplx_0 X1))\Rightarrow(k2_xcmplx_0 X0 (k4_xcmplx_0 X1) = k6_xcmplx_0 X0 X1) \quad (7)$$

Assume the following.

$$v1_xboole_0 np_0 \quad (8)$$

Assume the following.

$$k2_xcmplx_0 np_1 (k4_xcmplx_0 np_1) = np_0 \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((r2_funct_2 X0 X1 X2 X3)\Leftrightarrow(X2 = X3)) \quad (10)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (11)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (12)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l2_struct_0 X0))\Rightarrow((v1_funct_1 (k9_polynom3 X0))\wedge((v1_funct_2 (k9_polynom3 X0) k5_numbers (u1_struct_0 X0))\wedge(v1_algseq_1 (k9_polynom3 X0) X0))) \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l2_struct_0 X0))\Rightarrow((v1_funct_1 (k9_polynom3 X0))\wedge((v1_funct_2 (k9_polynom3 X0) k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 (k9_polynom3 X0) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \quad (14)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (v1_xcmplx_0 (k4_xcmplx_0 X0)) \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \wedge \\ & ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\ & ((v1_algseq_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & k5_numbers (u1_struct_0 X0))))))) \Rightarrow (m1_subset_1 (k1_algseq_1 \\ & X0 X1) k5_numbers) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \Rightarrow (\forall X1. \\ & ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\ & ((v1_algseq_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & k5_numbers (u1_struct_0 X0))))))) \Rightarrow (k2_hurwitz X0 X1 = k6_xcmplx_0 \\ & (k1_algseq_1 X0 X1) np_1)) \end{aligned} \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xcmplx_0 X0) \wedge (v1_xcmplx_0 X1)) \Rightarrow (k2_xcmplx_0 X0 X1 = k2_xcmplx_0 X1 X0) \quad (18)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (19)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (v1_xcmplx_0 X0) \quad (20)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xcmplx_0 X0) \quad (21)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \Rightarrow (\forall X1. \\ & ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\ & ((v1_algseq_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & k5_numbers (u1_struct_0 X0))))))) \Rightarrow ((k2_hurwitz X0 X1 = k4_xcmplx_0 \\ & np_1) \Leftrightarrow (r2_funct_2 k5_numbers (u1_struct_0 X0) X1 (k9_polynom3 \\ & X0)))) \end{aligned}$$