

t20_matrprob (TMTsBG8gSbRc6D5rHegRu7end9nEZtuNntF)

October 27, 2020

Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k3_matrprob : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_seq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k18_rvsum_1 : \iota \Rightarrow \iota$ be given. Let $k8_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k13_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrprob : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((v1_matrix_1 X1) \wedge \\ & (m2_finseq_1 X1 (k3_finseq_2 X0))) \Rightarrow (\forall X2.(v7_ordinal1 \\ & X2) \Rightarrow ((X2 \in k4_finseq_1 X1) \Rightarrow (k1_funct_1 X1 X2 = k8_matrix_1 X0 X1 \\ & X2)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \tag{3}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (k4_finseq_1 X0 = k9_xtuple_0 X0) \end{aligned} \tag{5}$$

Assume the following.

$$\forall X0.k3_finseq_2 X0 = k13_finseq_1 X0 \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_finseq_1 X1 (k3_finseq_2 X0)) \wedge (v7_ordinal1 X2)) \Rightarrow (k1_matrprob X0 X1 X2 = k1_funct_1 X1 X2) \quad (7)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (8)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0) \Rightarrow ((v1_funct_1 X1) \wedge ((v1_finseq_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0) \Rightarrow ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 X1))) \quad (11)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (12)$$

Assume the following.

$$\forall X0.(m1_finseq_1 X0 (k3_finseq_2 k1_numbers)) \Rightarrow (m2_finseq_1 (k3_matrprob X0) k1_numbers) \quad (13)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \quad (14)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (\forall X1.(m2_subset_1 X1 k1_numbers k5_numbers) \Rightarrow ((X1 = k3_finseq_1 X0) \Leftrightarrow (k2_finseq_1 X1 = k9_xtuple_0 X0))) \quad (15)$$

Assume the following.

$$\forall X0.(m2_finseq_1 X0 (k3_finseq_2 k1_numbers)) \Rightarrow (\forall X1.(m2_finseq_1 X1 k1_numbers) \Rightarrow ((X1 = k3_matrprob X0) \Leftrightarrow ((k3_finseq_1 X1 = k3_finseq_1 X0) \wedge (\forall X2.(m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow ((X2 \in k4_finseq_1 X1) \Rightarrow (k1_seq_1 X1 X2 = k18_rvsum_1 (k1_matrprob k1_numbers X0 X2))))))) \quad (16)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (18)$$

Theorem 1

$$\begin{aligned} &\forall X0.((v1_matrix_1 X0)\wedge(m2_finseq_1 X0 (k3_finseq_2 k1_numbers)))\Rightarrow \\ &\quad ((k3_finseq_1 (k3_matrprob X0) = k3_finseq_1 X0)\wedge(\forall X1. \\ (m2_subset_1 X1 k1_numbers k5_numbers)\Rightarrow((X1 \in k2_finseq_1 (k3_finseq_1 \\ X0))\Rightarrow(k1_seq_1 (k3_matrprob X0) X1 = k18_rvsum_1 (k8_matrix_1 \\ k1_numbers X0 X1)))))) \end{aligned}$$