

t20_mazurulm
(TMHD1BKcD4w1LTrMtyrsXV4B6egEAZ9mAqN)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_mazurulm : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k10_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Assume the

following.

$$\begin{aligned}
& (\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\
& X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\
& ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 \\
& X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))\Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X0))\Rightarrow((\neg(\neg r1_xxreal_0 (k1_normsp_0 X0 (k5_algstr_0 \\
& X0 X1 X2)) k6_numbers)\wedge(X1 = X2))\wedge(\neg(X1\neq X2)\wedge(r1_xxreal_0 (k1_normsp_0 \\
& X0 (k5_algstr_0 X0 X1 X2)) k6_numbers))))))\wedge((\forall X0.((\neg v2_struct_0 \\
& X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge \\
& ((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 \\
& X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge \\
& ((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))\Rightarrow(\forall X1. \\
& (m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 \\
& (u1_struct_0 X0))\Rightarrow(k1_normsp_0 X0 (k5_algstr_0 X0 X1 X2) = k1_normsp_0 \\
& X0 (k5_algstr_0 X0 X2 X1))))\wedge((\forall X0.((\neg v2_struct_0 X0)\wedge \\
& ((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 \\
& X0)\wedge((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge \\
& ((v8_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 \\
& X0)\wedge(l1_normsp_1 X0))))))))))\Rightarrow(\forall X1.(m1_subset_1 \\
& X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X0))\Rightarrow((k1_normsp_0 X0 (k5_algstr_0 X0 X1 X2) = k6_numbers)\Leftrightarrow(X1 = \\
& X2))))\wedge((\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge \\
& ((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 \\
& X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge \\
& ((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge(l1_normsp_1 \\
& X0))))))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow((\neg(k1_normsp_0 \\
& X0 (k5_algstr_0 X0 X1 X2)\neq k6_numbers)\wedge(X1 = X2))\wedge(\neg(X1\neq X2)\wedge(k1_normsp_0 \\
& X0 (k5_algstr_0 X0 X1 X2) = k6_numbers))))))\wedge((\forall X0.((\neg v2_struct_0 \\
& X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge \\
& ((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 \\
& X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge \\
& ((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))\Rightarrow(\forall X1. \\
& (m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 \\
& (u1_struct_0 X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow \\
& (\forall X4.(m1_subset_1 X4 k1_numbers)\Rightarrow(\neg(\neg r1_xxreal_0 X4 k6_numbers)\wedge \\
& ((\neg r1_xxreal_0 (k10_real_1 X4 np_2) (k1_normsp_0 X0 (k5_algstr_0 \\
& X0 X1 X3)))\wedge((\neg r1_xxreal_0 (k10_real_1 X4 np_2) (k1_normsp_0 \\
& X0 (k5_algstr_0 X0 X3 X2)))\wedge(r1_xxreal_0 X4 (k1_normsp_0 X0 (k5_algstr_0 \\
& X0 X1 X2))))))))))\wedge((\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 \\
& X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge \\
& ((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 \\
& X0)\wedge((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge \\
& (l1_normsp_1 X0))))))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(\forall X3. \\
& (m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow(\forall X4.(m1_subset_1 X4 \\
& k1_numbers)\Rightarrow(\neg(\neg r1_xxreal_0 X4 k6_numbers)\wedge((\neg r1_xxreal_0 \\
& (k10_real_1 X4 np_2) (k1_normsp_0 X0 (k5_algstr_0 X0 X1 X3)))\wedge \\
& ((\neg r1_xxreal_0 (k10_real_1 X4 np_2) (k1_normsp_0 X0 (k5_algstr_0 \\
& X0 X2 X3)))\wedge(r1_xxreal_0 X4 (k1_normsp_0 X0 (k5_algstr_0 X0 X1 X2))))))))))\wedge \\
& ((\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\
& X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\
& ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 \\
& X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))\Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(\\
& m1_subset_1 X2 k1_numbers)\Rightarrow(\neg(\neg r1_xxreal_0 X2 k6_numbers)\wedge(\\
& r1_xxreal_0 X2 (k1_normsp_0 X0 X1))))\Rightarrow(X1 = k4_struct_0 X0))))\wedge \\
& ((\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\
& X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 X0 (k3_funct_2 (u1_struct_0 \\
& X0) (u1_struct_0 X0) (k1_mazurulm X0 X1) X2) X1 = k5_algstr_0 X0 X1 \\
& X2)))
\end{aligned} \tag{2}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X0)) \Rightarrow (k1_normsp_0 X0 (k5_algstr_0 X0 (k3_funct_2 \\
& (u1_struct_0 X0) (u1_struct_0 X0) (k1_mazurulm X0 X1) X2) X1) = k1_normsp_0 \\
& X0 (k5_algstr_0 X0 X2 X1))))
\end{aligned}$$