

t20_mssubfam
(TMaurzNbWi2Bhm1E9cNPwa8Kh7a69av42z1)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_relat_1 : \iota \Rightarrow o$ be given. Let $v2_finset_1 : \iota \Rightarrow o$ be given. Let $k6_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. ((\neg v1_finset_1 X0) \wedge (\neg v1_xboole_0 X1)) \Rightarrow (\neg v1_finset_1 (k2_zfmisc_1 X1 X0)) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_relat_1 X1) \wedge ((v4_relat_1 \\ & X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \wedge ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))))) \Rightarrow \\ & ((v1_relat_1 (k6_pboole X0 X1 X2)) \wedge ((v4_relat_1 (k6_pboole X0 \\ & X1 X2) X0) \wedge ((v1_funct_1 (k6_pboole X0 X1 X2)) \wedge (v1_partfun1 (k6_pboole \\ & X0 X1 X2) X0)))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge (v1_funct_1 X1))) \Rightarrow ((v2_finset_1 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (v1_finset_1 (k1_funct_1 X1 X2)))) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge (\\ & v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \Rightarrow (\forall X2. ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))))) \Rightarrow \\ & (\forall X3. ((v1_relat_1 X3) \wedge ((v4_relat_1 X3 X0) \wedge ((v1_funct_1 \\ & X3) \wedge (v1_partfun1 X3 X0)))))) \Rightarrow ((X3 = k6_pboole X0 X1 X2) \Leftrightarrow (\forall X4. \\ & (X4 \in X0) \Rightarrow (k1_funct_1 X3 X4 = k2_zfmisc_1 (k1_funct_1 X1 X4) (k1_funct_1 \\ & X2 X4)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge \\ (v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\Rightarrow((v2_relat_1 X1)\Leftrightarrow(\forall X2. \quad (5) \\ \neg(X2 \in X0)\wedge(v1_xboole_0 (k1_funct_1 X1 X2)))) \end{aligned}$$

Theorem 1

$$\begin{aligned} \forall X0.\forall X1.((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge \\ (v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\Rightarrow(\forall X2.((v1_relat_1 \\ X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow \\ (((v2_relat_1 X1)\wedge(v2_finset_1 (k6_pboole X0 X1 X2)))\Rightarrow(v2_finset_1 \\ X2))) \end{aligned}$$