

t20_ncfcont1 (TMXxoDE- VXqB5ffsCvBPEhG2UFomGvTZWZFY)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v8_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_clvect_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $r1_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k9_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow ((X0 \in k9_xtuple_0 X1) \Rightarrow (k9_relat_1 X1 X0 = k1_tarski (k1_funct_1 X1 X0))) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_ncfcont1 X2 X0 X1) \Rightarrow (X1 \in X2))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski (k1_tarski X0) X1) \Leftrightarrow (X0 \in X1) \quad (3)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\
& ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\
& X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge \\
& ((v4_normsp_0 X1) \wedge ((v2_clvect_1 X1) \wedge ((v3_clvect_1 X1) \wedge ((v4_clvect_1 \\
& X1) \wedge ((v5_clvect_1 X1) \wedge ((v8_clvect_1 X1) \wedge (l2_clvect_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0) \Rightarrow ((r1_ncfcont1 X0 X1 X2 X3) \Leftrightarrow ((X3 \in k1_relset_1 \\
& (u1_struct_0 X0) X2) \wedge (\forall X4.(m1_ncfcont1 X4 X1 (k7_partfun1 \\
& (u1_struct_0 X1) X2 X3) \Rightarrow (\exists X5.(m1_ncfcont1 X5 X0 X3) \wedge (r1_tarski \\
& (k7_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X2 X5) X4))))))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow (k7_relat_1 X1 X0 = k7_relat_1 X1 (k3_xboole_0 (k9_xtuple_0 X1) X0)) \tag{5}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \tag{6}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (k7_relset_1 X0 X1 X2 X3 = k7_relat_1 X2 X3) \tag{7}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (k1_relset_1 X0 X1 = k9_xtuple_0 X1) \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge \\
& ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge \\
& ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 \\
& X0)))))))))) \wedge (m1_subset_1 X1 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\
& (m1_ncfcont1 X2 X0 X1) \Rightarrow (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 \\
& X0))))
\end{aligned} \tag{9}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v1_relat_1 X1)\wedge((v5_relat_1 X1 X0)\wedge(v1_funct_1 X1)))\Rightarrow(m1_subset_1 (k7_partfun1 X0 X1 X2) X0) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge((v5_relat_1 X1 X0)\wedge(v1_funct_1 X1)))\Rightarrow(\forall X2.(X2 \in k9_xtuple_0 X1)\Rightarrow(k7_partfun1 X0 X1 X2 = k1_funct_1 X1 X2)) \quad (11)$$

Assume the following.

$$\forall X0.(v1_relat_1 X0)\Rightarrow(\forall X1.k9_relat_1 X0 X1 = k7_relat_1 X0 (k1_tarski X1)) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (14)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 X0)\wedge((v5_clvect_1 X0)\wedge((v8_clvect_1 X0)\wedge(l2_clvect_1 X0))))))))))))))\Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v3_normsp_0 X1)\wedge((v4_normsp_0 X1)\wedge((v2_clvect_1 X1)\wedge((v3_clvect_1 X1)\wedge((v4_clvect_1 X1)\wedge((v5_clvect_1 X1)\wedge((v8_clvect_1 X1)\wedge(l2_clvect_1 X1))))))))))))))\Rightarrow \\ & (\forall X2.((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow((X3 \in k1_relset_1 (u1_struct_0 X0) X2)\Rightarrow(\\ & (\forall X4.(m1_ncfcont1 X4 X0 X3)\Rightarrow(k9_subset_1 (u1_struct_0 X0) (k1_relset_1 (u1_struct_0 X0) X2) X4\neq k1_tarski X3))\vee(r1_ncfcont1 X0 X1 X2 X3)))))) \end{aligned}$$