

t20_parsp_1 (TMLhaVsBpFxF-T- TNB4XfkTfvnM395W1t3XRYD)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_parsp_1 : \iota \Rightarrow o$ be given. Let $l1_parsp_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_parsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge (l1_parsp_1 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\ & ((r1_parsp_1 X0 X1 X2 X3 X4) \Rightarrow (r1_parsp_1 X0 X3 X4 X1 X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_parsp_1 X0)) \Rightarrow ((v2_parsp_1 \\ & X0) \Leftrightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\forall X6.(m1_subset_1 \\ & X6 (u1_struct_0 X0)) \Rightarrow (\forall X7.(m1_subset_1 X7 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X8.(m1_subset_1 X8 (u1_struct_0 X0)) \Rightarrow ((r1_parsp_1 \\ & X0 X1 X2 X2 X1) \wedge ((r1_parsp_1 X0 X1 X2 X3 X3) \wedge ((\neg (r1_parsp_1 X0 X1 X2 \\ & X5 X6) \wedge ((r1_parsp_1 X0 X1 X2 X7 X8) \wedge ((\neg (r1_parsp_1 X0 X5 X6 X7 X8) \wedge \\ & (X1 \neq X2)))) \wedge ((r1_parsp_1 X0 X1 X2 X1 X3) \Rightarrow (r1_parsp_1 X0 X2 X1 X2 \\ & X3)) \wedge (\exists X9.(m1_subset_1 X9 (u1_struct_0 X0)) \wedge ((r1_parsp_1 \\ & X0 X1 X2 X3 X9) \wedge (r1_parsp_1 X0 X1 X3 X2 X9)))))))))) \end{aligned} \quad (2)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge (l1_parsp_1 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (r1_parsp_1 X0 X1 X1 X2 X3))) \end{aligned}$$