

t20_ranknull

(TMS9Yu7EqosrLgQ8xYbBTpo8WS3wcSGSSUQ)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_vectsp_7 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_vectsp_7 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_vectsp_7 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v7_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $g1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((\neg v6_struct_0 X1) \wedge \\
 & ((v13_algstr_0 X1) \wedge ((v33_algstr_0 X1) \wedge ((v3_group_1 X1) \wedge ((v5_group_1 \\
 & X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge ((v2_rlvect_1 X1) \wedge \\
 & ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l6_algstr_0 X1)))))))))) \Rightarrow \\
 & (\forall X2. ((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v8_vectsp_1 \\
 & X2 X1) \wedge ((v9_vectsp_1 X2 X1) \wedge ((v10_vectsp_1 X2 X1) \wedge ((v11_vectsp_1 \\
 & X2 X1) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge \\
 & (l1_vectsp_1 X2 X1)))))))))) \Rightarrow (\forall X3. (m1_subset_1 X3 (k1_zfmisc_1 \\
 & (u1_struct_0 X2))) \Rightarrow ((X0 \in X3) \Rightarrow (r1_struct_0 (k1_vectsp_7 X1 X2 \\
 & X3) X0))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_vectsp_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow \\
& (\forall X4.(m1_subset_1 X4 (k1_zfmisc_1 (u1_struct_0 X2))) \Rightarrow \\
& ((X3 = X4) \Rightarrow (k1_vectsp_7 X0 X1 X3 = k1_vectsp_7 X0 X2 X4))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_vectsp_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow \\
& (((v1_vectsp_7 X3 X0 X1) \wedge (r1_tarski X3 (u1_struct_0 X2))) \Rightarrow ((v1_vectsp_7 \\
& X3 X0 X2) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X2))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge \\
& ((v3_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \wedge \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_vectsp_4 X2 X0 \\
& X1) \Rightarrow ((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v8_vectsp_1 X2 \\
& X0) \wedge ((v9_vectsp_1 X2 X0) \wedge ((v10_vectsp_1 X2 X0) \wedge ((v11_vectsp_1 \\
& X2 X0) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge \\
& (l1_vectsp_1 X2 X0))))))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \tag{5}$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \tag{6}$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(l1_vectsp_1 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \wedge (((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l1_vectsp_1 X1 X0)))))))))) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X1)))))) \Rightarrow ((v7_vectsp_1 (k1_vectsp_7 X0 X1 X2) X0) \wedge (m1_vectsp_4 (k1_vectsp_7 X0 X1 X2) X0 X1)) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(r1_struct_0 X0 X1) \Leftrightarrow (X1 \in u1_struct_0 X0)) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1.(((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow ((m1_vectsp_7 X2 X0 X1) \Leftrightarrow ((v1_vectsp_7 X2 X0 X1) \wedge (k1_vectsp_7 X0 X1 X2 = g1_vectsp_1 X0 (u1_struct_0 X1) (u1_algstr_0 X1) (u2_struct_0 X1) (u1_vectsp_1 X0 X1)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarski X0 X1) \Leftrightarrow (\forall X2.(X2 \in X0) \Rightarrow (X2 \in X1)) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((l1_struct_0 X0) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow ((v7_vectsp_1 X1 X0) \Rightarrow (X1 = g1_vectsp_1 X0 (u1_struct_0 X1) (u1_algstr_0 X1) (u2_struct_0 X1) (u1_vectsp_1 X0 X1)))) \end{aligned} \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ & ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\ & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\ & X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge (l1_vectsp_1 \\ & X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 \\ & X1))) \Rightarrow ((v1_vectsp_7 X2 X0 X1) \Rightarrow (m1_vectsp_7 X2 X0 (k1_vectsp_7 \\ & X0 X1 X2)))))) \end{aligned}$$