

t20_realset2
(TMQiBu9QQ3RQ5d6jMbiQbmf3siCx8jttJHQ)

October 27, 2020

Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v1_realset2 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_vectsp_1 : \iota \Rightarrow o$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_vectsp_1 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_zfmisc_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k2_struct_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\ & X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k6_algstr_0 X0 \\ & (k4_struct_0 X0) X1 = k4_struct_0 X0)) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\ & X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k6_algstr_0 X0 \\ & X1 (k4_struct_0 X0) = k4_struct_0 X0)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_vectsp_1 X0) \wedge \\ ((v1_realset2 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow (\forall X1.(m2_subset_1 \\ X1 (u1_struct_0 X0) (k8_struct_0 X0)) \Rightarrow (\forall X2.(m2_subset_1 \\ X2 (u1_struct_0 X0) (k8_struct_0 X0)) \Rightarrow (k6_algstr_0 X0 X1 X2 = k6_algstr_0 \\ X0 X2 X1))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(X0 \in k4_xboole_0 X1 (k1_tarski \\ X2)) \Leftrightarrow ((X0 \in X1) \wedge (X0 \neq X2)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee \\ (X0 \in X1)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X1 (k1_zfmisc_1 \\ X0)) \Rightarrow (k7_subset_1 X0 X1 X2 = k4_xboole_0 X1 X2) \quad (9)$$

Assume the following.

$$\forall X0.((\neg v7_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_zfmisc_1 \\ (u1_struct_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(l5_algstr_0 X0) \Rightarrow ((l4_algstr_0 X0) \wedge (l4_struct_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (13)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (m1_subset_1 (k8_struct_0 X0) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (15)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (m1_subset_1 (k2_struct_0 X0) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (16)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (k2_struct_0 X0 = u1_struct_0 X0) \quad (17)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (k8_struct_0 X0 = k7_subset_1 (u1_struct_0 X0) (k2_struct_0 X0) (k1_tarski (k4_struct_0 X0))) \quad (18)$$

Assume the following.

$$\forall X0.(l4_struct_0 X0) \Rightarrow ((\neg v6_struct_0 X0) \Rightarrow (\neg v7_struct_0 X0)) \quad (19)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (v1_zfmisc_1 X0) \quad (20)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow (((\neg v2_struct_0 X0) \wedge (v5_vectsp_1 X0)) \Rightarrow ((\neg v2_struct_0 X0) \wedge ((v1_vectsp_1 X0) \wedge (v2_vectsp_1 X0)))) \quad (21)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow ((v2_struct_0 X0) \Rightarrow (v7_struct_0 X0)) \quad (22)$$

Theorem 1

$$\forall X0.(((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v1_realset2 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k6_algstr_0 X0 X1 X2 = k6_algstr_0 X0 X2 X1)))$$