

t21_gr_cy_3
(TMYRUyV3HVAm16GqoHMEELTfu1XDMUa1gwx)

October 27, 2020

Let $k1_gr_cy_3 : \iota \Rightarrow \iota$ be given. Let $np_7 : \iota$ be given. Let $np_127 : \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k1_newton : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $np_4 : \iota$ be given. Let $np_3 : \iota$ be given. Let $np_2 : \iota$ be given. Let $k4_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $np_16 : \iota$ be given. Let $np_8 : \iota$ be given. Let $np_128 : \iota$ be given. Let $k6_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k2_newton : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k13_newton : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(v7_ordinal1 X1) \Rightarrow (\forall X2. \\ & (v1_xcmplx_0 X2) \Rightarrow (k1_newton X2 (k2_xcmplx_0 X0 X1) = k3_xcmplx_0 \\ & (k1_newton X2 X0) (k1_newton X2 X1)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_7) \wedge (m2_subset_1 np_7 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_7 k5_numbers) \wedge (m1_subset_1 np_7 k1_numbers)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_4) \wedge (m2_subset_1 np_4 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_4 k5_numbers) \wedge (m1_subset_1 np_4 k1_numbers)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_3) \wedge (m2_subset_1 np_3 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_3 k5_numbers) \wedge (m1_subset_1 np_3 k1_numbers)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_2) \wedge (m2_subset_1 np_2 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_2 k5_numbers) \wedge (m1_subset_1 np_2 k1_numbers)) \end{aligned} \quad (5)$$

Assume the following.

$$k4_xcmplx_0 (k4_xcmplx_0 np_2) = np_2 \quad (6)$$

Assume the following.

$$k3_xcmplx_0 np_16 np_8 = np_128 \quad (7)$$

Assume the following.

$$k6_xcmplx_0 np_128 np_1 = np_127 \quad (8)$$

Assume the following.

$$k2_xcmplx_0 np_4 np_3 = np_7 \quad (9)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k1_numbers)\wedge(v7_ordinal1 X1))\Rightarrow(k2_newton X0 X1 = k1_newton X0 X1) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(m1_subset_1 X1 k5_numbers))\Rightarrow(k13_newton X0 X1 = k1_newton X0 X1) \quad (12)$$

Assume the following.

$$k13_newton np_2 np_4 = np_16 \quad (13)$$

Assume the following.

$$k13_newton np_2 np_3 = np_8 \quad (14)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0)\Rightarrow((v1_xcmplx_0 (k4_xcmplx_0 X0))\wedge(v1_xreal_0 (k4_xcmplx_0 X0))) \quad (15)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0)\Rightarrow(k1_gr_cy_3 X0 = k6_xcmplx_0 (k2_newton np_2 X0) np_1) \quad (16)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (17)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(v1_xreal_0 X0) \quad (18)$$

Theorem 1 $k1_gr_cy_3 np_7 = np_127$.