

t21_group_6
(TMTH4mrEKXPt4wJ69C1KsuDPVQnAq55Ze7X)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_group_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_group_6 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k13_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k14_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k15_group_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((v1_group_3 X1 X0) \wedge (m1_group_2 \\ X1 X0)) \Rightarrow (u1_struct_0 (k5_group_6 X0 X1) = k15_group_2 X0 X1)) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. \forall X2. ((v1_group_3 \\ X2 X0) \wedge (m1_group_2 X2 X0)) \Rightarrow (\neg (X1 \in k15_group_2 X0 X2) \wedge (\forall X3. \\ (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\neg (X1 = k13_group_2 X0 X2 X3) \wedge \\ (X1 = k14_group_2 X0 X2 X3)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge \\ ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge ((v1_group_3 X1 X0) \wedge (m1_group_2 \\ X1 X0))) \Rightarrow (\neg v1_xboole_0 (k15_group_2 X0 X1)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \Rightarrow ((m1_subset_1 X1 X0) \Leftrightarrow \\ (X1 \in X0))) \wedge ((v1_xboole_0 X0) \Rightarrow ((m1_subset_1 X1 X0) \Leftrightarrow (v1_xboole_0 \\ X1))) \end{aligned} \quad (4)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((v1_group_3 X1 X0) \wedge (m1_group_2 \\ & X1 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 (k5_group_6 \\ & X0 X1))) \Rightarrow (\exists X3.(m1_subset_1 X3 (u1_struct_0 X0)) \wedge ((X2 = \\ & k13_group_2 X0 X1 X3) \wedge (X2 = k14_group_2 X0 X1 X3)))))) \end{aligned}$$