

t21_isocat_2

(TMNAVNxcdNwu9zxdKFsBm1oap3eQi1Hr1Lc)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_cat_1 : \iota \Rightarrow o$ be given. Let $v3_cat_1 : \iota \Rightarrow o$ be given. Let $v4_cat_1 : \iota \Rightarrow o$ be given. Let $v5_cat_1 : \iota \Rightarrow o$ be given. Let $v6_cat_1 : \iota \Rightarrow o$ be given. Let $l1_cat_1 : \iota \Rightarrow o$ be given. Let $m2_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_cat_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k8_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_nattr_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_isocat_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k12_cat_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
 & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
 & X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\
 & \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
 & X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1))))))) \Rightarrow (\forall X2. \\
 & ((\neg v2_struct_0 X2) \wedge ((\neg v11_struct_0 X2) \wedge ((v2_cat_1 X2) \wedge ((v3_cat_1 \\
 & X2) \wedge ((v4_cat_1 X2) \wedge ((v5_cat_1 X2) \wedge ((v6_cat_1 X2) \wedge (l1_cat_1 \\
 & X2))))))) \Rightarrow (\forall X3.(m2_cat_1 X3 (k8_cat_2 X0 X1) X2) \Rightarrow (\forall X4. \\
 & (m1_subset_1 X4 (u1_struct_0 X0) \Rightarrow (k8_cat_1 X0 (k11_nattr_1 \\
 & X1 X2) (k5_isocat_2 X0 X1 X2 X3) X4 = k12_cat_2 X0 X1 X2 X3 X4))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. (((\neg v2_struct_0 \\
 & X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 \\
 & X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 X0) \wedge (l1_cat_1 X0))))))) \wedge (((\\
 & \neg v2_struct_0 X1) \wedge ((\neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 \\
 & X1) \wedge ((v4_cat_1 X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 \\
 & X1))))))) \wedge (((\neg v2_struct_0 X2) \wedge ((\neg v11_struct_0 X2) \wedge ((v2_cat_1 \\
 & X2) \wedge ((v3_cat_1 X2) \wedge ((v4_cat_1 X2) \wedge ((v5_cat_1 X2) \wedge ((v6_cat_1 \\
 & X2) \wedge (l1_cat_1 X2))))))) \wedge ((m2_cat_1 X3 (k8_cat_2 X0 X1) X2) \wedge (\\
 & m1_subset_1 X4 (u1_struct_0 X0)))))) \Rightarrow (m2_cat_1 (k12_cat_2 X0 \\
 & X1 X2 X3 X4) X1 X2)
 \end{aligned} \tag{2}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ & X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\ & \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\ & X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ & ((\neg v2_struct_0 X2) \wedge ((\neg v11_struct_0 X2) \wedge ((v2_cat_1 X2) \wedge ((v3_cat_1 \\ & X2) \wedge ((v4_cat_1 X2) \wedge ((v5_cat_1 X2) \wedge ((v6_cat_1 X2) \wedge (l1_cat_1 \\ & X2)))))))) \Rightarrow (\forall X3.(m2_cat_1 X3 (k8_cat_2 X0 X1) X2) \Rightarrow (\forall X4. \\ & (m1_subset_1 X4 (u1_struct_0 X0) \Rightarrow (m2_cat_1 (k8_cat_1 X0 (k11_nattra_1 \\ & X1 X2) (k5_isocat_2 X0 X1 X2 X3) X4) X1 X2)))) \end{aligned}$$