

t22_bciideal (TMVTCA1VVEHw2nqVfwQAoQeCVn1cocsoE2G)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_bcialg_1 : \iota \Rightarrow o$ be given. Let $v4_bcialg_1 : \iota \Rightarrow o$ be given. Let $v5_bcialg_1 : \iota \Rightarrow o$ be given. Let $v7_bcialg_1 : \iota \Rightarrow o$ be given. Let $l2_bcialg_1 : \iota \Rightarrow o$ be given. Let $m2_bcialg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_bciideal : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_bcialg_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $r1_bcialg_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_bcialg_1 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ (\forall X1. (m2_bcialg_1 X1 X0) \Rightarrow ((m2_bciideal X1 X0) \Leftrightarrow (\forall X2. \\ (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 \\ (u1_struct_0 X0)) \Rightarrow (((X2 \in X1) \wedge (r1_bcialg_1 X0 X2 X3)) \Rightarrow (X3 \in X1)))))) \quad (3) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ (\forall X1. (m2_bcialg_1 X1 X0) \Rightarrow ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \quad (4) \end{aligned}$$

Assume the following.

$$\forall X0. (l2_bcialg_1 X0) \Rightarrow ((l1_bcialg_1 X0) \wedge (l2_struct_0 X0)) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((l1_bcialg_1 X0) \wedge ((m1_subset_1 \\ & X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 \\ & (k1_bcialg_1 X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 \\ & X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ & (\forall X1. ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0)))) \Rightarrow ((m2_bciideal X1 X0) \Leftrightarrow ((k4_struct_0 X0 \in X1) \wedge \\ & (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 \\ & X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 (u1_struct_0 \\ & X0)) \Rightarrow (((k1_bcialg_1 X0 (k1_bcialg_1 X0 X2 X4) (k1_bcialg_1 X0 X3 \\ & X4) \in X1) \wedge (X3 \in X1)) \Rightarrow (X2 \in X1)))))))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (l2_bcialg_1 X0)) \Rightarrow ((v3_bcialg_1 \\ & X0) \Leftrightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (k1_bcialg_1 X0 (k1_bcialg_1 X0 (k1_bcialg_1 \\ & X0 X1 X2) (k1_bcialg_1 X0 X3 X2)) (k1_bcialg_1 X0 X1 X3) = k4_struct_0 \\ & X0)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 \\ & X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ & (\forall X1. ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0)))) \Rightarrow ((m2_bcialg_1 X1 X0) \Leftrightarrow ((k4_struct_0 X0 \in X1) \wedge \\ & (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 \\ & X3 (u1_struct_0 X0)) \Rightarrow (((k1_bcialg_1 X0 X2 X3 \in X1) \wedge (X3 \in X1)) \Rightarrow (X2 \in \\ & X1)))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (l2_bcialg_1 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 \\ & (u1_struct_0 X0)) \Rightarrow ((r1_bcialg_1 X0 X1 X2) \Leftrightarrow (k1_bcialg_1 X0 X1 X2 = \\ & k4_struct_0 X0)))) \end{aligned} \quad (10)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 \\ & X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ & (\forall X1.(m2_bcialg_1 X1 X0) \Rightarrow ((m2_bciideal X1 X0) \Leftrightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\ & ((k1_bcialg_1 X0 (k1_bcialg_1 X0 X2 X4) (k1_bcialg_1 X0 X3 X4) \in X1) \Rightarrow \\ & (k1_bcialg_1 X0 X2 X3 \in X1))))))) \end{aligned}$$