

t22_fvsum_1

(TMP TPqKTogPPyn6BTJQ6ah6x36uvnw9Jbqd)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k5_fvsum_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_finseqop : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_vectsp_1 : \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow (\forall X2. \\ & ((v1_relat_1 X2) \wedge (v1_funct_1 X2)) \Rightarrow ((X0 \in k9_xtuple_0 (k3_relat_1 \\ & X2 X1)) \Rightarrow (k1_funct_1 (k3_relat_1 X2 X1) X0 = k1_funct_1 X1 (k1_funct_1 \\ & X2 X0)))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((m1_finseq_1 X2 \\ & X0) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (\\ & k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow (k4_finseqop X0 X1 X2 X3 = \\ & k3_relat_1 X2 X3) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (k4_finseq_1 X0 = k9_xtuple_0 X0) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.v1_relat_1 (k2_zfmisc_1 X0 X1) \quad (7)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(v1_xboole_0 (k9_xtuple_0 X0)) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge(\\ & (v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers \\ & X0)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(m1_finseq_1 X1 X0)\Rightarrow((v1_relat_1 X1)\wedge(\\ & (v1_funct_1 X1)\wedge(v1_finseq_1 X1))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l2_algstr_0 X0))\Rightarrow((v1_funct_1 \\ & (k5_vectsp_1 X0))\wedge((v1_funct_2 (k5_vectsp_1 X0) (u1_struct_0 \\ & X0) (u1_struct_0 X0))\wedge(m1_subset_1 (k5_vectsp_1 X0) (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l2_algstr_0 X0))\wedge \\ & (m1_finseq_1 X1 (u1_struct_0 X0)))\Rightarrow(m2_finseq_1 (k5_fvsum_1 \\ & X0 X1) (u1_struct_0 X0)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l2_algstr_0 X0))\Rightarrow(\forall X1. \\ & (m2_finseq_1 X1 (u1_struct_0 X0))\Rightarrow(k5_fvsum_1 X0 X1 = k4_finseqop \\ & (u1_struct_0 X0) (u1_struct_0 X0) X1 (k5_vectsp_1 X0))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l2_algstr_0 X0))\Rightarrow(\forall X1. \\ & ((v1_funct_1 X1)\wedge((v1_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X0))))))\Rightarrow((X1 = k5_vectsp_1 X0)\Leftrightarrow(\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(k3_funct_2 (u1_struct_0 X0) \\ & (u1_struct_0 X0) X1 X2 = k4_algstr_0 X0 X2)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.(v1_xboole_0 X0) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge (v5_relat_1 \\ X1 X0)) \Rightarrow ((v1_xboole_0 X1) \wedge ((v1_relat_1 X1) \wedge (v5_relat_1 X1 X0)))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0) \Rightarrow (v5_relat_1 X1 X0) \quad (16)$$

Assume the following.

$$\forall X0.(v1_relat_1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ X0)) \Rightarrow (v1_relat_1 X1)) \quad (17)$$

Theorem 1

$$\begin{aligned} \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.((\neg v2_struct_0 \\ X1) \wedge (l2_algstr_0 X1)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ X1)) \Rightarrow (\forall X3.(m2_finseq_1 X3 (u1_struct_0 X1)) \Rightarrow (((X0 \in k4_finseq_1 \\ (k5_fvsum_1 X1 X3)) \wedge (X2 = k1_funct_1 X3 X0)) \Rightarrow (k1_funct_1 (k5_fvsum_1 \\ X1 X3) X0 = k4_algstr_0 X1 X2)))))) \end{aligned}$$