

t22_group_3

(TMWUe3BRiN5BrmtggHibqm6Vv9xA8ukj9YQ)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_group_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_group_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((k6_algstr_0 X0 X1 X2 = X3) \Leftrightarrow \\ & (X2 = k6_algstr_0 X0 (k2_group_1 X0 X1) X3)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((l3_algstr_0 X0) \wedge ((m1_subset_1 \\ & X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 \\ & (k6_algstr_0 X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge \\ & ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge (m1_subset_1 X1 (u1_struct_0 \\ & X0))) \Rightarrow (m1_subset_1 (k2_group_1 X0 X1) (u1_struct_0 X0)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. (l3_algstr_0 X0) \Rightarrow ((v3_group_1 X0) \Leftrightarrow (\forall X1. (m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (k6_algstr_0 \\ & X0 (k6_algstr_0 X0 X1 X2) X3 = k6_algstr_0 X0 X1 (k6_algstr_0 X0 X2 \\ & X3)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k2_group_3 \\ & X0 X1 X2 = k6_algstr_0 X0 (k6_algstr_0 X0 (k2_group_1 X0 X2) X1) X2))) \\ & \hspace{15em} (5) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((k2_group_3 \\ & X0 X1 X2 = X1) \Leftrightarrow (k6_algstr_0 X0 X1 X2 = k6_algstr_0 X0 X2 X1)))) \end{aligned}$$