

t22_matrix14
(TMGwetPTSsenE2SpsdS9CQ2gqjYazfmHVJa)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k13_fvsum_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k12_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k9_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_matrix14 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k5_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $k1_matrix14 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. k2_finseq_2\ np_1\ X0 = k9_finseq_1\ X0 \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. ((v1_relat_1\ X1) \wedge ((v1_funct_1\ X1) \wedge (v1_finseq_1 \\ X1))) \Rightarrow ((X1 = k9_finseq_1\ X0) \Leftrightarrow ((k3_finseq_1\ X1 = np_1) \wedge (k10_xtuple_0 \\ X1 = k1_tarski\ X0))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\ X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ (m2_finseq_1 X1 (u1_struct_0 X0)) \Rightarrow (k13_fvsum_1 X0 (k2_matrix14 \\ X0 (k3_finseq_1 X1)) X1 = k4_struct_0 X0)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (5)$$

Assume the following.

$$\forall X0. k9_finseq_1 X0 = k5_finseq_1 X0 \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X0) \wedge ((v7_ordinal1 \\ X1) \wedge (m1_subset_1 X2 X0))) \Rightarrow (k5_finseq_2 X0 X1 X2 = k2_finseq_2 X1 \\ X2) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \wedge \\ (m1_subset_1 X1 k5_numbers)) \Rightarrow (k2_matrix14 X0 X1 = k1_matrix14 \\ X0 X1) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow \\ (k12_finseq_1 X0 X1 = k5_finseq_1 X1) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0. (v1_relat_1 (k5_finseq_1 X0)) \wedge (v1_funct_1 (k5_finseq_1 X0)) \quad (11)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 \\ (u1_struct_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge((v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))))) \quad (13)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0)\Rightarrow((l2_algstr_0 X0)\wedge(l5_algstr_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (15)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l2_struct_0 X0))\wedge(m1_subset_1 X1 k5_numbers))\Rightarrow(m2_finseq_1 (k1_matrix14 X0 X1) (u1_struct_0 X0)) \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l6_algstr_0 X0))\wedge((m1_finseq_1 X1 (u1_struct_0 X0))\wedge(m1_finseq_1 X2 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k13_fvsum_1 X0 X1 X2) (u1_struct_0 X0)) \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow(m2_finseq_1 (k12_finseq_1 X0 X1) X0) \quad (19)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l2_struct_0 X0))\Rightarrow(\forall X1.(m1_subset_1 X1 k5_numbers)\Rightarrow(k1_matrix14 X0 X1 = k5_finseq_2 (u1_struct_0 X0) X1 (k4_struct_0 X0))) \quad (20)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (21)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge((\neg v6_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v33_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_group_1 X0)\wedge((v5_group_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge(l6_algstr_0 X0))))))))))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(k13_fvsum_1 X0 (k12_finseq_1 (u1_struct_0 X0) (k4_struct_0 X0)) (k12_finseq_1 (u1_struct_0 X0) X1) = k4_struct_0 X0))$$