

t22\_midsp\_3  
(TMYWYcRcj9PoKjZd4aFEgahE5GjaYeqUVvS)

October 27, 2020

Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $m2\_midsp\_3 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v4\_midsp\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_midsp\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m2\_finseq\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_midsp\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_finseq\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_nat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $k9\_midsp\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_midsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_midsp\_3 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $np\_2 : \iota$  be given. Let  $v2\_midsp\_3 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0.(m1\_subset\_1 X0 k5\_numbers) \Rightarrow (\forall X1.((\neg v2\_struct\_0 \\
& X1) \wedge ((v2\_midsp\_1 X1) \wedge (l1\_midsp\_3 X1 (k2\_nat\_1 X0 np\_2)))) \Rightarrow ( \\
& \forall X2.((v4\_midsp\_2 X2 X1) \wedge (l1\_midsp\_2 X2 X1)) \Rightarrow ((v2\_midsp\_3 \\
& X1 X0) \Leftrightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4. \\
& (m1\_subset\_1 X4 (u1\_struct\_0 X1)) \Rightarrow (\forall X5.(m2\_finseq\_2 X5 \\
& (u1\_struct\_0 (u1\_midsp\_2 X1 X2)) (k4\_finseq\_2 (k2\_nat\_1 X0 np\_1) \\
& (u1\_struct\_0 (u1\_midsp\_2 X1 X2)))) \Rightarrow (k9\_midsp\_3 X0 X1 X2 X3 X5 = k9\_midsp\_3 \\
& X0 X1 X2 X4 X5))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(m1\_subset\_1 X0 k5\_numbers) \Rightarrow (\forall X1.(m2\_midsp\_3 \\
& X1 X0) \Rightarrow ((\neg v2\_struct\_0 X1) \wedge ((v2\_midsp\_1 X1) \wedge (l1\_midsp\_3 X1 (k2\_nat\_1 \\
& X0 np\_2))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(m1\_subset\_1 X0 k5\_numbers) \Rightarrow (\forall X1.((\neg v2\_struct\_0 \\
& X1) \wedge ((v2\_midsp\_1 X1) \wedge (l1\_midsp\_3 X1 (k2\_nat\_1 X0 np\_2)))) \Rightarrow ( \\
& (m2\_midsp\_3 X1 X0) \Leftrightarrow (v2\_midsp\_3 X1 X0))
\end{aligned} \tag{3}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(m1\_subset\_1 X0 k5\_numbers) \Rightarrow (\forall X1.(m2\_midsp\_3 \\ & X1 X0) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X1)) \Rightarrow (\forall X3. \\ & (m1\_subset\_1 X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4.((v4\_midsp\_2 X4 \\ & X1) \wedge (l1\_midsp\_2 X4 X1)) \Rightarrow (\forall X5.(m2\_finseq\_2 X5 (u1\_struct\_0 \\ & (u1\_midsp\_2 X1 X4)) (k4\_finseq\_2 (k2\_nat\_1 X0 np\_1) (u1\_struct\_0 \\ & (u1\_midsp\_2 X1 X4)))) \Rightarrow (k9\_midsp\_3 X0 X1 X4 X2 X5 = k9\_midsp\_3 X0 X1 \\ & X4 X3 X5)))))) \end{aligned}$$