

## t23\_altcat\_3

(TMXCw55RJQ2BbGqXhi1hj4KFi5FYUq6b42B)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_altcat\_1 : \iota \Rightarrow o$  be given. Let  $v11\_altcat\_1 : \iota \Rightarrow o$  be given. Let  $v12\_altcat\_1 : \iota \Rightarrow o$  be given. Let  $l2\_altcat\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_altcat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_altcat\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_altcat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $r1\_altcat\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k8\_altcat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v2\_altcat\_1 X0) \wedge ((v11\_altcat\_1 \\
 & X0) \wedge (l2\_altcat\_1 X0)))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\
 & X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\
 & (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 \\
 & (u1\_struct\_0 X0)) \Rightarrow (\neg(k1\_altcat\_1 X0 X1 X2 \neq k1\_xboole\_0) \wedge ((k1\_altcat\_1 \\
 & X0 X2 X3 \neq k1\_xboole\_0) \wedge ((k1\_altcat\_1 X0 X3 X4 \neq k1\_xboole\_0) \wedge (\neg \\
 & \forall X5.(m1\_subset\_1 X5 (k1\_altcat\_1 X0 X1 X2)) \Rightarrow (\forall X6. \\
 & (m1\_subset\_1 X6 (k1\_altcat\_1 X0 X2 X3)) \Rightarrow (\forall X7.(m1\_subset\_1 \\
 & X7 (k1\_altcat\_1 X0 X3 X4)) \Rightarrow (k5\_altcat\_1 X0 X1 X3 X4 (k5\_altcat\_1 \\
 & X0 X1 X2 X3 X5 X6) X7 = k5\_altcat\_1 X0 X1 X2 X4 X5 (k5\_altcat\_1 X0 X2 X3 \\
 & X4 X6 X7)))))))))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\
 & (((\neg v2\_struct\_0 X0) \wedge (l2\_altcat\_1 X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 \\
 & X0)) \wedge ((m1\_subset\_1 X2 (u1\_struct\_0 X0)) \wedge ((m1\_subset\_1 X3 (u1\_struct\_0 \\
 & X0)) \wedge ((m1\_subset\_1 X4 (k1\_altcat\_1 X0 X1 X2)) \wedge (m1\_subset\_1 X5 \\
 & (k1\_altcat\_1 X0 X2 X3)))))) \Rightarrow (m1\_subset\_1 (k5\_altcat\_1 X0 X1 X2 \\
 & X3 X4 X5) (k1\_altcat\_1 X0 X1 X3))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v12\_altcat\_1 X0) \wedge (l2\_altcat\_1 \\
& X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\
& (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\
& (k1\_altcat\_1 X0 X1 X2)) \Rightarrow ((v2\_altcat\_3 X3 X0 X1 X2) \Leftrightarrow (\exists X4. \\
& (m1\_subset\_1 X4 (k1\_altcat\_1 X0 X2 X1)) \wedge (r1\_altcat\_3 X0 X2 X1 X4 \\
& X3))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v12\_altcat\_1 X0) \wedge (l2\_altcat\_1 \\
& X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\
& (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\
& (k1\_altcat\_1 X0 X1 X2)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (k1\_altcat\_1 \\
& X0 X2 X1)) \Rightarrow ((r1\_altcat\_3 X0 X1 X2 X3 X4) \Leftrightarrow (k5\_altcat\_1 X0 X2 X1 X2 X4 \\
& X3 = k8\_altcat\_1 X0 X2))))))
\end{aligned} \tag{4}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v2\_altcat\_1 X0) \wedge ((v11\_altcat\_1 \\
& X0) \wedge ((v12\_altcat\_1 X0) \wedge (l2\_altcat\_1 X0)))))) \Rightarrow (\forall X1.(m1\_subset\_1 \\
& X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4. \\
& (m1\_subset\_1 X4 (k1\_altcat\_1 X0 X1 X2)) \Rightarrow (\forall X5.(m1\_subset\_1 \\
& X5 (k1\_altcat\_1 X0 X2 X3)) \Rightarrow ((v2\_altcat\_3 (k5\_altcat\_1 X0 X1 X2 X3 \\
& X4 X5) X0 X1 X3) \Rightarrow ((k1\_altcat\_1 X0 X1 X2 = k1\_xboole\_0) \vee ((k1\_altcat\_1 \\
& X0 X2 X3 = k1\_xboole\_0) \vee ((k1\_altcat\_1 X0 X3 X1 = k1\_xboole\_0) \vee (v2\_altcat\_3 \\
& X4 X0 X1 X2))))))))))
\end{aligned}$$