

t23_analmetr

(TMS2VNpQ4nmcHVEnvsch7EsNxqTFmccno65)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r4_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r3_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g1_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_analmetr : \iota \Rightarrow o$ be given. Let $l1_analmetr : \iota \Rightarrow o$ be given. Let $k1_diraf : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_analoaf : \iota \Rightarrow \iota$ be given. Let $k1_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_analoaf : \iota \Rightarrow \iota$ be given. Let $u1_analmetr : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 \\ & X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 (u1_struct_0 \\ & X0)) \Rightarrow ((r2_analmetr X0 X1 X2 X3 X4) \Rightarrow (r2_analmetr X0 X2 X1 X3 X4)))))) \\ & (1) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\forall X6. \\
& (m1_subset_1 X6 (u1_struct_0 X0)) \Rightarrow (\forall X7.(m1_subset_1 X7 \\
& (u1_struct_0 (k2_analmetr X0 X5 X6)) \Rightarrow (\forall X8.(m1_subset_1 \\
& X8 (u1_struct_0 (k2_analmetr X0 X5 X6)) \Rightarrow (\forall X9.(m1_subset_1 \\
& X9 (u1_struct_0 (k2_analmetr X0 X5 X6)) \Rightarrow (\forall X10.(m1_subset_1 \\
& X10 (u1_struct_0 (k2_analmetr X0 X5 X6)))))) \Rightarrow (((X7 = X1) \wedge ((X8 = X2) \wedge \\
& ((X9 = X3) \wedge (X10 = X4)))) \Rightarrow ((r4_analmetr (k2_analmetr X0 X5 X6) X7 \\
& X9 X8 X10) \Leftrightarrow (r3_analmetr X0 X1 X3 X2 X4 X5 X6)))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. ((m1_subset_1 X1 (k1_zfmisc_1 \\
& (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) (k2_zfmisc_1 X0 X0)))) \wedge (m1_subset_1 \\
& X2 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) (k2_zfmisc_1 \\
& X0 X0)))))) \Rightarrow (\forall X3. \forall X4. \forall X5. (g1_analmetr X0 \\
& X1 X2 = g1_analmetr X3 X4 X5) \Rightarrow ((X0 = X3) \wedge ((X1 = X4) \wedge (X2 = X5))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \tag{4}$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \tag{5}$$

Assume the following.

$$\forall X0. (l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \tag{6}$$

Assume the following.

$$\forall X0. (l1_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. ((l2_algstr_0 X0) \wedge ((m1_subset_1 \\
& X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 \\
& (k5_algstr_0 X0 X1 X2) (u1_struct_0 X0))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ & ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 \\ & X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_subset_1 X1 (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0))) \Rightarrow ((v1_analmetr (k2_analmetr \\ & X0 X1 X2)) \wedge (l1_analmetr (k2_analmetr X0 X1 X2))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) (k2_zfmisc_1 X0 X0)))) \Rightarrow (m1_subset_1 \\ & (k1_diraf X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) \\ & (k2_zfmisc_1 X0 X0)))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (m1_subset_1 (k1_analoaf X0) (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (k2_zfmisc_1 \\ & (u1_struct_0 X0) (u1_struct_0 X0)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ & ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 \\ & X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_subset_1 X1 (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0))) \Rightarrow (m1_subset_1 (k1_analmetr \\ & X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X0)) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\ & X0)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k2_analmetr X0 \\ & X1 X2 = g1_analmetr (u1_struct_0 X0) (k1_diraf (u1_struct_0 X0) \\ & (k1_analoaf X0)) (k1_analmetr X0 X1 X2)))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\forall X6. \\
& (m1_subset_1 X6 (u1_struct_0 X0)) \Rightarrow ((r3_analmetr X0 X1 X2 X3 X4 X5 \\
& X6) \Leftrightarrow (r2_analmetr X0 (k5_algstr_0 X0 X2 X1) (k5_algstr_0 X0 X4 X3) \\
& X5 X6))))))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\forall X0.(l1_analmetr X0) \Rightarrow ((v1_analmetr X0) \Rightarrow (X0 = g1_analmetr (u1_struct_0 X0) (u1_analoaf X0) (u1_analmetr X0))) \tag{15}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 (k2_analmetr X0 X1 X2)) \Rightarrow (\forall X4.(m1_subset_1 \\
& X4 (u1_struct_0 (k2_analmetr X0 X1 X2)) \Rightarrow (\forall X5.(m1_subset_1 \\
& X5 (u1_struct_0 (k2_analmetr X0 X1 X2)) \Rightarrow (\forall X6.(m1_subset_1 \\
& X6 (u1_struct_0 (k2_analmetr X0 X1 X2)) \Rightarrow ((r4_analmetr (k2_analmetr \\
& X0 X1 X2) X3 X4 X5 X6) \Rightarrow (r4_analmetr (k2_analmetr X0 X1 X2) X5 X6 X3 X4))))))))))
\end{aligned}$$