

t23_clopban3

(TMVZ6azjRDUN56jFeGP9p5xqH1afpkzzovT)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v8_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_clvect_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_seq_2 : \iota \Rightarrow o$ be given. Let $k3_series_1 : \iota \Rightarrow \iota$ be given. Let $k4_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_clopban3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_seq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_series_1 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v3_valued_0 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\
& ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\
& X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\
& (\forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2. (m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow \\
& (r1_xxreal_0 k6_numbers (k1_seq_1 (k4_normsp_0 X0 X1) X2))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & ((\forall X1.(m2_subset_1 X1 k1_numbers k5_numbers) \Rightarrow (r1_xxreal_0 \\ & k6_numbers (k3_funct_2 k5_numbers k1_numbers X0 X1))) \Rightarrow ((v1_seq_2 \\ & (k3_series_1 X0)) \Leftrightarrow (v1_series_1 X0))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v3_valued_0 \\ & X0))) \Rightarrow (k1_seq_1 X0 X1 = k1_funct_1 X0 X1) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\ & ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\ & X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\ & (\exists X1. (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers \\ & (u1_struct_0 X0)))) \wedge ((\neg v1_xboole_0 X1) \wedge ((v1_relat_1 X1) \wedge ((\\ & v4_relat_1 X1 k5_numbers) \wedge ((v5_relat_1 X1 (u1_struct_0 X0)) \wedge \\ & ((v1_funct_1 X1) \wedge ((v1_partfun1 X1 k5_numbers) \wedge ((v1_funct_2 \\ & X1 k5_numbers (u1_struct_0 X0)) \wedge (v2_clpban3 X1 X0)))))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. (l2_normsp_0 X0) \Rightarrow ((l1_normsp_0 X0) \wedge (l2_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l2_clvect_1 X0) \Rightarrow ((l1_clvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (8)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l1_normsp_0 X0))\wedge \\ & ((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 X0))\wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\Rightarrow((v1_funct_1 (k4_normsp_0 X0 X1))\wedge((v1_funct_2 (k4_normsp_0 \\ & X0 X1) k5_numbers k1_numbers)\wedge(m1_subset_1 (k4_normsp_0 X0 X1) \\ & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge \\ & ((v4_normsp_0 X0)\wedge((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 \\ & X0)\wedge((v5_clvect_1 X0)\wedge((v8_clvect_1 X0)\wedge(l2_clvect_1 X0))))))))))\Rightarrow \\ & (\forall X1.((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\Rightarrow((v2_clopan3 X1 X0)\Leftrightarrow(v1_series_1 (k4_normsp_0 X0 X1)))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(v1_xboole_0 X0)\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_xboole_0 X2)) \quad (12)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge(v5_relat_1 X0 k1_numbers))\Rightarrow((v1_relat_1 X0)\wedge(v3_valued_0 X0)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (14)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0))\Rightarrow(v1_xboole_0 X1)) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (16)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge \\ & ((v4_normsp_0 X0)\wedge((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 \\ & X0)\wedge((v5_clvect_1 X0)\wedge((v8_clvect_1 X0)\wedge(l2_clvect_1 X0))))))))))\Rightarrow \\ & (\forall X1.((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0))))))\Rightarrow((v1_seq_2 (k3_series_1 (k4_normsp_0 X0 X1)))\Leftrightarrow(v2_clopan3 \\ & X1 X0))) \end{aligned}$$