

t23_clvect_1

(TMYSuy7fvsLrvJoM8e42rgPsS7ztDB9qwoA)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Let $v6_clvect_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_clvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (((\neg v2_struct_0 \\
 & X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\
 & ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Leftrightarrow ((\forall X1. (m1_subset_1 \\
 & X1 (u1_struct_0 X0)) \Rightarrow (k1_algstr_0 X0 X1 (k4_struct_0 X0) = X1)) \wedge \\
 & ((\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\exists X2. (\\
 & m1_subset_1 X2 (u1_struct_0 X0)) \wedge (k1_algstr_0 X0 X1 X2 = k4_struct_0 \\
 & X0))) \wedge ((\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
 & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 \\
 & (u1_struct_0 X0)) \Rightarrow (k1_algstr_0 X0 (k1_algstr_0 X0 X1 X2) X3 = k1_algstr_0 \\
 & X0 X1 (k1_algstr_0 X0 X2 X3)))))) \wedge (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\
 & X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k1_algstr_0 \\
 & X0 X1 X2 = k1_algstr_0 X0 X2 X1))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
 & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\
 & ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge (l1_clvect_1 \\
 & X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
 & (\forall X2. (v1_xcmplx_0 X2) \Rightarrow (((X2 = k6_numbers) \vee (X1 = k4_struct_0 \\
 & X0)) \Rightarrow (k1_clvect_1 X0 X1 X2 = k4_struct_0 X0))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow (k6_domain_1 X0 X1 = k1_tarSKI X1) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v2_rlvect_1 X0)\wedge(l1_algstr_0 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(k3_rlvect_1 X0 X1 X2 = k1_algstr_0 X0 X1 X2) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (6)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l1_clvect_1 X0)\Rightarrow(l2_algstr_0 X0) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 X0)\wedge((v5_clvect_1 X0)\wedge(l1_clvect_1 X0))))))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow((v6_clvect_1 X1 X0)\Leftrightarrow((\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow(((X2 \in X1)\wedge(X3 \in X1))\Rightarrow(k3_rlvect_1 X0 X2 X3 \in X1))))\wedge(\forall X2.(v1_xcmplx_0 X2)\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow((X3 \in X1)\Rightarrow(k1_clvect_1 X0 X3 X2 \in X1))))))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(X1 = k1_tarSKI X0)\Leftrightarrow(\forall X2.(X2 \in X1)\Leftrightarrow(X2 = X0)) \quad (12)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge (v4_clvect_1 X0) \wedge (v5_clvect_1 X0) \wedge (l1_clvect_1 X0)))))) \Rightarrow (v6_clvect_1 (k6_domain_1 (u1_struct_0 X0) (k4_struct_0 X0)) X0)$$