

t23_euclid_2

(TMGH7BE9GFA4iKYMTnGHybTkdXBZQvfxVz9)

October 27, 2020

Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k15_euclid : \iota \Rightarrow \iota$ be given. Let $k23_rvsum_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_binop_2 : \iota \Rightarrow \iota$ be given. Let $k1_euclid : \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rltopsp1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rltopsp1 : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ (k15_euclid X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 (\\ k15_euclid X0))) \Rightarrow (k23_rvsum_1 X1 (k4_algstr_0 (k15_euclid X0) \\ X2) = k7_binop_2 (k23_rvsum_1 X1 X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (u1_struct_0 (k15_euclid X0) = k1_euclid X0) \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ (k15_euclid X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 (\\ k15_euclid X0))) \Rightarrow (k23_rvsum_1 (k4_algstr_0 (k15_euclid X0) X1) \\ X2 = k7_binop_2 (k23_rvsum_1 X1 X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\ X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow (k4_algstr_0 X0 (k4_algstr_0 X0 X1) = X1)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.(v7_ordinal1\ X0) \Rightarrow & ((v2_pre_topc\ (k15_euclid\ X0)) \wedge \\ & ((v13_algstr_0\ (k15_euclid\ X0)) \wedge ((v2_rlvect_1\ (k15_euclid\ X0)) \wedge \\ & ((v3_rlvect_1\ (k15_euclid\ X0)) \wedge ((v4_rlvect_1\ (k15_euclid\ X0)) \wedge \\ & ((v5_rlvect_1\ (k15_euclid\ X0)) \wedge ((v6_rlvect_1\ (k15_euclid\ X0)) \wedge \\ & ((v7_rlvect_1\ (k15_euclid\ X0)) \wedge ((v8_rlvect_1\ (k15_euclid\ X0)) \wedge \\ & (v5_rltopsp1\ (k15_euclid\ X0)))))))))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(v7_ordinal1\ X0) \Rightarrow ((-v2_struct_0\ (k15_euclid\ X0)) \wedge (v5_rltopsp1\ (k15_euclid\ X0))) \quad (6)$$

Assume the following.

$$\forall X0.(l1_rlvect_1\ X0) \Rightarrow (l2_algstr_0\ X0) \quad (7)$$

Assume the following.

$$\forall X0.(l1_rltopsp1\ X0) \Rightarrow ((l1_rlvect_1\ X0) \wedge (l1_pre_topc\ X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((l2_algstr_0\ X0) \wedge (m1_subset_1\ X1\ (u1_struct_0\ X0))) \Rightarrow (m1_subset_1\ (k4_algstr_0\ X0\ X1)\ (u1_struct_0\ X0)) \quad (9)$$

Assume the following.

$$\forall X0.(v7_ordinal1\ X0) \Rightarrow ((v5_rltopsp1\ (k15_euclid\ X0)) \wedge (l1_rltopsp1\ (k15_euclid\ X0))) \quad (10)$$

Theorem 1

$$\begin{aligned} \forall X0.(v7_ordinal1\ X0) \Rightarrow & (\forall X1.(m1_subset_1\ X1\ (u1_struct_0 \\ & (k15_euclid\ X0))) \Rightarrow (\forall X2.(m1_subset_1\ X2\ (u1_struct_0\ (\\ & k15_euclid\ X0))) \Rightarrow (k23_rvsum_1\ (k4_algstr_0\ (k15_euclid\ X0)\ X1) \\ & (k4_algstr_0\ (k15_euclid\ X0)\ X2) = k23_rvsum_1\ X1\ X2))) \end{aligned}$$